

UNITED STATES DEPARTMENT OF AGRICULTURE

Farm Service Agency
Washington, DC 20250

Commodity Data Specific to Wheat,
Feed Grains, and Oilseeds
2-LP Grains and Oilseeds (Revision 1)

Amendment 23

Approved by: Deputy Administrator, Farm Programs



Amendment Transmittal

A Reasons for Amendment

Parts 2 through 20 have been amended to:

- remove the 2006 crop year schedule of discounts as applicable
- remove the 2007 crop year specific grade premiums and discounts as applicable
- modify the additional schedule of discounts as applicable
- add crop year 2010 schedule of discounts.

B Major Changes

Subparagraph 1426 A has been amended to:

- delete specific Protein Percent discounts for soft white wheat
- to add soft white wheat dockage discounts.

Subparagraph 1427 K has been amended to add falling number discounts for soft white wheat.

Subparagraph 1826 A has been amended to update dry pea discounts for the 2010 crop.

Paragraphs 1900 through 2002 have been updated to change the maximum eligible moisture levels to 15.0 percent from current 18.0 percent.

C Effective Date

County Offices shall **not** use the new schedule of:

- discounts and premiums until July 1, 2010
- additional discounts until July 1, 2010.

Amendment Transmittal (Continued)

| Page Control Chart | | |
|---------------------------|-----------------------|----------------|
| TC | Text | Exhibit |
| | 2-101 through 2-156 | |
| | 3-101 through 3-158 | |
| | 4-101 through 4-158 | |
| | 5-101 through 5-156 | |
| | 5-157 | |
| | 6-101 through 6-158 | |
| | 7-101 through 7-154 | |
| | 7-155 | |
| | 8-101 through 8-156 | |
| | 9-101 through 9-158 | |
| | 10-101 through 10-156 | |
| | 10-157 | |
| | 11-101 through 11-154 | |
| | 12-101 through 12-154 | |
| | 13-101 through 13-156 | |
| | 14-101 through 14-170 | |
| | 14-171 | |
| | 15-51 through 15-56 | |
| | 16-51 through 16-58 | |
| | 16-59 | |
| | 17-51 | |
| | 18-51 | |
| | 19-1 through 19-50 | |
| | 19-51 | |
| | 20-1 through 20-50 | |
| | 20-51 | |

Section 2 Premiums, Discounts, and Additional Discounts for Barley

226 Crop Year Specific Premiums and Discounts

A Barley Premiums and Discounts

The following table provides the premiums and discounts per bushel for barley.

| Grade or Factor Description | *--2008 | | 2009 | | 2010--* | |
|--------------------------------|---------|----------|---------|----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Grade U.S. No. 3 | | \$.25 | | *--\$.30 | | \$.30 |
| Grade U.S. No. 4 | | .30 | | .45 | | .45 |
| Grade U.S. No. 5 | | .40 | | .60 | | .60 |
| Moisture Percent: | | | | | | |
| 13.6 | | | | .01 | | .01 |
| 13.7 | | | | .02 | | .02 |
| 13.8 | | | | .03 | | .03 |
| 13.9 | | | | .04 | | .04 |
| 14.0 | | | | .05 | | .05 |
| 14.1 | | .01 | | .06 | | .06 |
| 14.2 | | .02 | | .07 | | .07 |
| 14.3 | | .03 | | .08 | | .08 |
| 14.4 | | .04 | | .09 | | .09 |
| 14.5 | | .05 | | .10--* | | .10 |

226 Crop Year Specific Premiums and Discounts (Continued)

A Barley Premiums and Discounts (Continued)

| Grade or Factor Description | *--2008 | | 2009 | | 2010--* | |
|--|---------|----------|---------|----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| All Grades - Dockage Discount: | | | | | | |
| 1.0 - 1.9 percent dockage | | \$.01 | | \$.01 | | \$.01 |
| 2.0 - 2.9 percent dockage | | .03 | | .03 | | .03 |
| 3.0 - 3.9 percent dockage | | .04 | | .04 | | .04 |
| 4.0 - 4.9 percent dockage | | .05 | | .05 | | .05 |
| For each whole percent or fraction thereof, deduct an additional \$.01. | | | | | | |
| Example: The total discount for 8.0 - 8.5 percent dockage would be \$.09. | | | | | | |
| Special Grade Discount of Garlicky | | \$.10 | | \$.10 | | \$.10 |

226 Crop Year Specific Premiums and Discounts (Continued)

B Barley Test Weight

The following table provides the barley test weight discounts.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|----------------------------------|----------------------------------|
| | Discounts per Bushel | Discounts per Bushel |
| Test Weight (Pounds) | | |
| 46.0 or better | \$.00 | \$.00 |
| 45.9 - 45.0 | .01 | .01 |
| 44.9 - 44.0 | .02 | .02 |
| 44.9 - 43.0 | .03 | .03 |
| 42.9 - 42.0 | .04 | .04 |
| 41.9 - 41.0 | .05 | .05 |
| 40.9 - 40.0 | .06 | .06 |
| 39.9 - 39.0 | .07 | .07 |
| 38.9 - 38.0 | .08 | .08 |
| 37.9 - 37.0 | .09 | .09 |
| 36.9 - 36.0 | .10 | .10 |
| See additional schedule of discounts for barley with a test weight under 36.0 pounds per bushel. | | |

227 Barley Additional CCC Discounts

A Grade and Thin

The following table provides the barley additional CCC discounts for:

- grade
- thin.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|--|--|
| | Discounts per Bushel | Discounts per Bushel |
| *--Grade Discount for 2007 and--* later crop years: | | |
| U.S. Sample Grade | *--\$.75 for 2009 crop \$.50 for 2008 crop \$.50 for 2007 crop | \$.75 for 2010 crop \$.75 for 2009 crop \$.50 for 2008 crop--* |
| Thin Percent: | | |
| 75.1 - 80.0 | \$.05 | \$.05 |
| 80.1 - 85.0 | .10 | .10 |
| 85.1 - 90.0 | .15 | .15 |
| 90.1 - 95.0 | .20 | .20 |
| 95.1 - 100.0 | .25 | .25 |

227 Barley Additional CCC Discounts (Continued)

B Test Weight

The following table provides the barley additional CCC discounts for test weight.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|----------------------------------|----------------------------------|
| | Discount per Bushel | Discount per Bushel |
| Test Weight (Pounds): | | |
| 35.9 - 35.0 | \$.12 | \$.12 |
| 34.9 - 34.0 | .14 | .14 |
| 33.9 - 33.0 | .16 | .16 |
| 32.9 - 32.0 | .18 | .18 |
| 31.9 - 31.0 | .20 | .20 |
| 30.9 - 30.0 | .22 | .22 |
| 29.9 - 29.0 | .24 | .24 |
| 28.9 - 28.0 | .26 | .26 |
| 27.9 - 27.0 | .28 | .28 |
| 26.9 - 26.0 | .30 | .30 |
| For each whole pound or fraction thereof under 26.0 pounds per bushel, deduct an additional \$.01. | | |
| Example: The total discount for 24.5 pound test weight would be \$.32. | | |

227 Barley Additional CCC Discounts (Continued)

C Foreign Material

The following table provides the barley additional CCC discounts for foreign material.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|----------------------------------|----------------------------------|
| | Discount per Bushel | Discount per Bushel |
| Foreign Material Percent: | | |
| 5.1 - 6.0 | \$.01 | \$.01 |
| 6.1 - 7.0 | .02 | .02 |
| 7.1 - 8.0 | .03 | .03 |
| 8.1 - 9.0 | .04 | .04 |
| 9.1 - 10.0 | .05 | .05 |
| 10.1 - 11.0 | .07 | .07 |
| 11.1 - 12.0 | .09 | .09 |
| 12.1 - 13.0 | .11 | .11 |
| 13.1 - 14.0 | .13 | .13 |
| 14.1 - 15.0 | .15 | .15 |
| 15.1 - 16.0 | .17 | .17 |
| For each 1 percent or fraction thereof over 16.0 percent, deduct an additional \$.02. | | |
| Example: The total discount for 16.9 percent foreign material would be \$.19. | | |

227 Barley Additional CCC Discounts (Continued)

D Heat-Damaged Kernels

The following table provides the barley additional CCC discounts for heat-damaged kernels.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Heat-Damaged Kernels Percent: | | |
| 3.1 | \$.02 | \$.02 |
| 3.2 | .04 | .04 |
| 3.3 | .06 | .06 |
| 3.4 | .08 | .08 |
| 3.5 | .10 | .10 |
| 3.6 | .12 | .12 |
| 3.7 | .14 | .14 |
| 3.8 | .16 | .16 |
| 3.9 | .18 | .18 |
| 4.0 | .20 | .20 |
| For each tenth of a percent over 4.0 percent, deduct an additional \$.02. | | |
| Example: The total discount for 4.5 percent heat-damaged kernels would be \$.30. | | |

E Damaged Kernels (Total)

The following table provides the barley additional CCC discounts for damaged kernels (total).

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Damaged Kernels (Total) Percent: | | |
| 10.1 - 11.0 | \$.02 | \$.02 |
| 11.1 - 12.0 | .04 | .04 |
| 12.1 - 13.0 | .06 | .06 |
| 13.1 - 14.0 | .08 | .08 |
| 14.1 - 15.0 | .10 | .10 |
| For each 1 percent or fraction thereof over 15.0 percent, deduct an additional \$.05. | | |
| Example: The total discount for 15.1 to 16.0 percent damaged kernels (total) would be \$.15. | | |

227 Barley Additional CCC Discounts (Continued)

F Moisture

The following table provides the barley additional CCC discounts for moisture.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Moisture Percent: | | |
| 14.6 | *--\$.11 | \$.11 |
| 14.7 | .12 | .12 |
| 14.8 | .13 | .13 |
| 14.9 | .14 | .14 |
| 15.0 | .15 | .15 |
| 15.1 | .16 | .16 |
| 15.2 | .17 | .17 |
| 15.3 | .18 | .18 |
| 15.4 | .19 | .19 |
| 15.5 | .20 | .20 |
| 15.6 | .21 | .21 |
| 15.7 | .22 | .22 |
| 15.8 | .23 | .23 |
| 15.9 | .24 | .24 |
| 16.0 | .25--* | .25 |
| For each tenth of a percent over 16.0 percent, deduct an additional \$.01. | | |
| Example: The total discount for 16.5 percent moisture would be \$.30 for 2009. | | |

227 Barley Additional CCC Discounts (Continued)

G Special Grades

The following table provides the barley additional CCC discounts for special grades.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|-----------------------------|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| COFO | *--\$.25 | \$.25 |
| Heating | .20 | .20 |
| Infested | .20 | .20 |
| Musty | .20 | .20 |
| Sour | .40--* | .40 |

H Discount for Contaminated Barley

Barley found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

Exception: For barley delivered to CCC and the warehouse receipt indicates a vomitoxin level of:

- 5 parts per million or less, determine the settlement rate in the normal manner
- more than 5 parts per million, the barley shall have a settlement value of **zero**.

228-299 (Reserved)

Section 2 Discounts and Additional Discounts for Canola

326 Crop Year Specific Discounts

A Canola Discounts

The following table provides the discounts per cwt. for canola.

| Quality Factor Level | Discount (Dollars per Cwt.) | | |
|------------------------------|-----------------------------|-------|---------|
| | *--2008 | 2009 | 2010--* |
| Oil Content Percent: | | | |
| 37.9 - 37.0 | \$.22 | \$.22 | \$.22 |
| 36.9 - 36.0 | .44 | .44 | .44 |
| 35.9 - 35.0 | .66 | .66 | .66 |
| Moisture Percent: | | | |
| 8.1 - 8.5 | \$.11 | \$.11 | \$.11 |
| 8.6 - 9.0 | .22 | .22 | .22 |
| 9.1 - 9.5 | .33 | .33 | .33 |
| 9.6 - 10.0 | .44 | .44 | .44 |
| Heat Damage Percent: | | | |
| 0.2 - 0.5 | \$.10 | \$.10 | \$.10 |
| Total Damage Percent: | | | |
| 2.1 - 3.0 | \$.06 | \$.06 | \$.06 |
| 3.1 - 4.0 | .12 | .12 | .12 |
| 4.1 - 5.0 | .18 | .18 | .18 |
| 5.1 - 6.0 | .24 | .24 | .24 |
| 6.1 - 7.0 | .30 | .30 | .30 |
| 7.1 - 8.0 | .38 | .38 | .38 |
| 8.1 - 9.0 | .46 | .46 | .46 |
| 9.1 - 10.0 | .56 | .56 | .56 |

326 Crop Year Specific Discounts (Continued)

A Canola Discounts (Continued)

| Quality Factor Level | Discount (Dollars per Cwt.) | | |
|--|--|--|--|
| | *--2008 | 2009 | 2010--* |
| Distinctly Green Seed Percent: | | | |
| 2.1 - 6.0 | \$.12 | \$.12 | \$.12 |
| Garlic Bulbs (per 500 grams): | | | |
| 4-15 bulbs | \$.02 per bulb over 3 not to exceed 15 | \$.02 per bulb over 3 not to exceed 15 | \$.02 per bulb over 3 not to exceed 15 |
| Total Conspicuous Admixtures Percent: | | | |
| 1.1 - 1.5 | \$.38 | \$.38 | \$.38 |

327 Canola Additional CCC Discounts

A Grade and Oil Content

The following table provides the canola additional CCC discounts for:

- grade
- oil content.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|--|--|
| | Discount per Cwt. | Discount per Cwt. |
| *--Grade Discount for 2007 and--* later crop years: | | |
| U.S. Sample Grade | *--\$.50 for 2009 crop \$.50 for 2008 crop \$.50 for 2007 crop | \$.50 for 2010 crop \$.50 for 2009 crop \$.50 for 2008 crop--* |
| Oil Content Percent: | | |
| 34.9 - 34.0 | \$1.10 | \$1.10 |
| 33.9 - 33.0 | 1.54 | 1.54 |
| 32.9 - 32.0 | 1.98 | 1.98 |
| 31.9 - 31.0 | 2.42 | 2.42 |
| 30.9 - 30.0 | 2.86 | 2.86 |
| 29.9 - 29.0 | 3.74 | 3.74 |
| 28.9 - 28.0 | 4.62 | 4.62 |
| For each 1 percent or fraction thereof under 28.0 percent, deduct an additional \$.88. | | |
| Example: The total discount for 26.0 percent oil content would be \$6.38. | | |

327 Canola Additional CCC Discounts (Continued)

B Moisture

The following table provides the canola additional CCC discounts for moisture.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Moisture Percent: | | |
| 10.1 - 10.5 | \$.69 | \$.69 |
| 10.6 - 11.0 | .94 | .94 |
| 11.1 - 11.5 | 1.19 | 1.19 |
| 11.6 - 12.0 | 1.44 | 1.44 |
| 12.1 - 12.5 | 1.94 | 1.94 |
| 12.6 - 13.0 | 2.44 | 2.44 |
| 13.1 - 13.5 | 2.94 | 2.94 |
| For each 0.5 percent or fraction thereof over 13.5 percent, deduct an additional \$.50. | | |
| Example: The total discount for 15.0 percent moisture would be \$4.44. | | |

327 Canola Additional CCC Discounts (Continued)

C Heat Damage

The following table provides the canola additional CCC discounts for heat damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Heat Damage Percent: | | |
| 0.6 - 1.0 | \$.20 | \$.20 |
| 1.1 - 1.5 | .30 | .30 |
| 1.6 - 2.0 | .40 | .40 |
| 2.1 - 3.0 | .60 | .60 |
| 3.1 - 4.0 | 1.40 | 1.40 |
| 4.1 - 5.0 | 2.20 | 2.20 |
| 5.1 - 6.0 | 3.20 | 3.20 |
| For each 1 percent or fraction thereof over 6.0 percent, deduct an additional \$1.00. | | |
| Example: The total discount for 7.5 percent heat damage would be \$5.20. | | |

327 Canola Additional CCC Discounts (Continued)

D Sclerotinia Bodies

The following table provides the canola additional CCC discounts for sclerotinia bodies.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Sclerotinia Bodies Percent: | | |
| 0.11 - 0.15 | \$1.50 | \$1.50 |
| 0.16 - 0.20 | 2.25 | 2.25 |
| 0.21 - 0.25 | 3.50 | 3.50 |
| 0.26 - 0.30 | 5.00 | 5.00 |
| For each 0.05 percent or fraction thereof over 0.30 percent, deduct an additional \$1.50. | | |
| Example: The total discount for 0.40 percent sclerotinia bodies would be \$8.00. | | |

327 Canola Additional CCC Discounts (Continued)

E Distinctly Green Seed

The following table provides the canola additional CCC discounts for distinctly green seed.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Distinctly Green Seed Percent: | | |
| 6.1 - 10.0 | \$.24 | \$.24 |
| 10.1 - 15.0 | .40 | .40 |
| 15.1 - 20.0 | .60 | .60 |
| 20.1 - 25.0 | 1.50 | 1.50 |
| 25.1 - 35.0 | 3.00 | 3.00 |
| For each 10 percent or fraction thereof over 35.0 percent, deduct an additional \$1.50. | | |
| Example: The total discount for 50.0 percent distinctly green seed would be \$6.00. | | |

327 Canola Additional CCC Discounts (Continued)

F Total Damage

The following table provides the canola additional CCC discounts for total damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Total Damage Percent: | | |
| 10.1 - 11.0 | \$.81 | \$.81 |
| 11.1 - 12.0 | 1.06 | 1.06 |
| 12.1 - 13.0 | 1.31 | 1.31 |
| 13.1 - 14.0 | 1.56 | 1.56 |
| 14.1 - 15.0 | 1.81 | 1.81 |
| 15.1 - 16.0 | 2.31 | 2.31 |
| 16.1 - 17.0 | 2.81 | 2.81 |
| 17.1 - 18.0 | 3.31 | 3.31 |
| For each 1 percent or fraction thereof over 18.0 percent, deduct an additional \$.50. | | |
| Example: The total discount for 20.0 percent total damage would be \$4.31. | | |

327 Canola Additional CCC Discounts (Continued)

G Garlic Bulbs

The following table provides the canola additional CCC discounts for garlic bulbs.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|-------------------------------|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Garlic Bulbs (per 500 grams): | | |
| 16 - 20 | \$.30 | \$.30 |
| 21 - 30 | .50 | .50 |
| 31 - 50 | .75 | .75 |
| 51 - 75 | 1.50 | 1.50 |
| 76 - 100 | 3.00 | 3.00 |

H Total Conspicuous Admixtures

The following table provides the canola additional CCC discounts for total conspicuous admixtures.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Total Conspicuous Admixtures Percent: | | |
| 1.6 - 2.0 | \$1.50 | \$1.50 |
| 2.1 - 2.5 | 2.25 | 2.25 |
| 2.6 - 3.0 | 5.00 | 5.00 |
| For each 0.5 percent or fraction thereof over 3.0 percent, deduct an additional \$2.75. | | |
| Example: The total discount for 4.0 percent total conspicuous admixtures would be \$10.50. | | |

327 Canola Additional CCC Discounts (Continued)**I Other Factors**

The following table provides the canola additional CCC discounts for other factors.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| COFO | \$.70 | \$.70 |
| Distinctly low quality | .70 | .70 |
| Heating | .40 | .40 |
| Infested | .40 | .40 |
| Musty | .40 | .40 |
| Sour | .40 | .40 |

J Discount for Contaminated Canola

Canola found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

328-399 (Reserved)

Section 2 Premiums, Discounts, and Additional Discounts for Corn

426 Crop Year Specific Premiums and Discounts

A Corn Premiums and Discounts

The following table provides the premiums and discounts per bushel for corn.

| Grade or Factor Description | *--2008 | | 2009 | | 2010- -* | |
|---|---------|----------|---------|----------|-------------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Test Weight (Pounds): | | | | | | |
| 53.9 - 53.0 | | \$.01 | | \$.01 | | \$.01 |
| 52.9 - 52.0 | | .02 | | .02 | | .02 |
| Damaged Kernels (Total) Percent: | | | | | | |
| 5.1 - 6.0 | | \$.02 | | \$.02 | | \$.02 |
| 6.1 - 7.0 | | .04 | | .04 | | .04 |
| Heat-Damaged Kernels Percent: | | | | | | |
| 0.3 - 0.5 | | \$.02 | | \$.02 | | \$.02 |
| Broken Corn and Foreign Material Percent: | | | | | | |
| 3.1 - 4.0 | | \$.02 | | \$.02 | | \$.02 |
| Moisture Percent: | | | | | | |
| 15.1 - 15.5 | | \$.03 | | \$.03 | | \$.03 |

427 Corn Additional CCC Discounts

A Grade

The following table provides the corn additional CCC discounts for grade.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|--|--|
| | Discount per Bushel | Discount per Bushel |
| *--Grade Discount for 2007--* and later crop years: | | |
| Waxy | \$.10 | \$.10 |
| U.S. Sample Grade | *--\$.15 for 2009 crop \$.15 for 2008 crop \$.15 for 2007 crop | \$.15 for 2010 crop \$.15 for 2009 crop \$.15 for 2008 crop--* |

427 Corn Additional CCC Discounts (Continued)

B Test Weight

The following table provides the corn additional CCC discounts for test weight.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| 51.9 - 51.0 | \$.03 | \$.03 |
| 50.9 - 50.0 | .04 | .04 |
| 49.9 - 49.0 | .06 | .06 |
| 48.9 - 48.0 | .08 | .08 |
| 47.9 - 47.0 | .10 | .10 |
| 46.9 - 46.0 | .12 | .12 |
| 45.9 - 45.0 | .14 | .14 |
| 44.9 - 44.0 | .16 | .16 |
| 43.9 - 43.0 | .18 | .18 |
| 42.9 - 42.0 | .20 | .20 |
| 41.9 - 41.0 | .22 | .22 |
| 40.9 - 40.0 | .24 | .24 |
| 39.9 - 39.0 | .26 | .26 |
| 38.9 - 38.0 | .28 | .28 |
| For each whole pound or fraction thereof under 38.0 pounds per bushel, deduct an additional \$.02. | | |
| Example: The total discount for 37.2 pound test weight would be \$.30. | | |

427 Corn Additional CCC Discounts (Continued)

C Broken Corn and Foreign Material

The following table provides the corn additional CCC discounts for broken corn and foreign material.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Broken Corn and Foreign Material Percent: | | |
| 4.1 - 5.0 | \$.04 | \$.04 |
| 5.1 - 6.0 | .06 | .06 |
| 6.1 - 7.0 | .08 | .08 |
| 7.1 - 8.0 | .10 | .10 |
| 8.1 - 9.0 | .13 | .13 |
| 9.1 - 10.0 | .16 | .16 |
| 10.1 - 11.0 | .20 | .20 |
| 11.1 - 12.0 | .24 | .24 |
| 12.1 - 13.0 | .28 | .28 |
| For each 1 percent or fraction thereof over 13.0 percent, deduct an additional \$.04. | | |
| Example: The total discount for 13.8 percent broken corn and foreign material would be \$.32. | | |

427 Corn Additional CCC Discounts (Continued)

D Heat-Damaged Kernels

The following table provides the corn additional CCC discounts for heat-damaged kernels.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Heat-Damaged Kernels Percent: | | |
| 0.6 - 1.0 | \$.04 | \$.04 |
| 1.1 - 1.5 | .06 | .06 |
| 1.6 - 2.0 | .08 | .08 |
| 2.1 - 2.5 | .10 | .10 |
| 2.6 - 3.0 | .12 | .12 |
| 3.1 - 3.5 | .14 | .14 |
| 3.6 - 4.0 | .16 | .16 |
| 4.1 - 4.5 | .18 | .18 |
| 4.6 - 5.0 | .20 | .20 |
| 5.1 - 5.5 | .22 | .22 |
| 5.6 - 6.0 | .24 | .24 |
| 6.1 - 6.5 | .26 | .26 |
| 6.6 - 7.0 | .28 | .28 |
| For each 0.5 percent or fraction thereof over 7.0 percent, deduct an additional \$.02. | | |
| Example: The total discount for 8.5 percent heat-damaged kernels would be \$.34. | | |

427 Corn Additional CCC Discounts (Continued)

E Damaged Kernels (Total)

The following table provides the corn additional CCC discounts for damaged kernels (total).

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|----------------------------------|----------------------------------|
| | Discount per Bushel | Discount per Bushel |
| Damaged Kernels (Total) Percent: | | |
| 7.1 - 8.0 | \$.06 | \$.06 |
| 8.1 - 9.0 | .08 | .08 |
| 9.1 - 10.0 | .10 | .10 |
| 10.1 - 11.0 | .12 | .12 |
| 11.1 - 12.0 | .14 | .14 |
| 12.1 - 13.0 | .16 | .16 |
| 13.1 - 14.0 | .18 | .18 |
| 14.1 - 15.0 | .20 | .20 |
| 15.1 - 16.0 | .23 | .23 |
| 16.1 - 17.0 | .26 | .26 |
| 17.1 - 18.0 | .29 | .29 |
| 18.1 - 19.0 | .32 | .32 |
| For each 1 percent or fraction thereof over 19.0 percent, deduct an additional \$.03. | | |
| Example: The total discount for 19.1 to 20.0 percent damaged kernels (total) would be \$.35. | | |

427 Corn Additional CCC Discounts (Continued)

F Moisture

The following table provides the corn additional CCC discounts for moisture.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|----------------------------------|----------------------------------|
| | Discount per Bushel | Discount per Bushel |
| Moisture Percent: | | |
| 15.6 - 16.0 | \$.06 | \$.06 |
| 16.1 - 16.5 | .09 | .09 |
| 16.6 - 17.0 | .12 | .12 |
| 17.1 - 17.5 | .15 | .15 |
| 17.6 - 18.0 | .18 | .18 |
| 18.1 - 18.5 | .21 | .21 |
| 18.6 - 19.0 | .24 | .24 |
| For each 0.5 percent or fraction thereof over 19.0 percent, deduct an additional \$.03. | | |
| Example: The total discount for 19.5 percent moisture would be \$.27. | | |

427 Corn Additional CCC Discounts (Continued)

G Special Grades

The following table provides the corn additional CCC discounts for special grades.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Bushel | Discount per Bushel |
| COFO | \$.10 | \$.10 |
| Heating | .10 | .10 |
| Infested | .10 | .10 |
| Musty | .10 | .10 |
| Sour | .10 | .10 |

427 Corn Additional CCC Discounts (Continued)**H Discount for Contaminated Corn**

Corn found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

Exceptions: For corn delivered to CCC and the warehouse receipt indicates either of the following:

- a vomitoxin level of:
 - 5 parts per million or less, determine the settlement rate in the normal manner
 - more than 5 parts per million, the corn shall have a settlement value of **zero**
- an aflatoxin level of:
 - 20 parts per billion or less, determine the settlement rate in the normal manner
 - more than 20 parts per billion, the corn shall have a settlement value of **zero**.

428-499 (Reserved)

Section 2 Discounts and Additional Discounts for Flaxseed

526 Crop Year Specific Discounts

A Flaxseed Discounts

The following table provides the discounts per cwt. for flaxseed.

| Quality Factor Level | Discount (Dollars per Cwt.) | | |
|-----------------------|-----------------------------|-------|---------|
| | *--2008 | 2009 | 2010--* |
| Test Weight (Pounds): | | | |
| 48.9 - 48.5 | \$.06 | \$.06 | \$.06 |
| 48.4 - 48.0 | .12 | .12 | .12 |
| 47.9 - 47.5 | .18 | .18 | .18 |
| 47.4 - 47.0 | .24 | .24 | .24 |
| Moisture Percent: | | | |
| 8.1 - 9.0 | \$.22 | \$.22 | \$.00 |
| Heat Damage Percent: | | | |
| 0.3 - 0.5 | \$.06 | \$.06 | \$.06 |
| Total Damage Percent: | | | |
| 10.1 - 11.0 | \$.22 | \$.22 | \$.22 |
| 11.1 - 12.0 | .44 | .44 | .44 |
| 12.1 - 13.0 | .66 | .66 | .66 |
| 13.1 - 14.0 | .88 | .88 | .88 |
| 14.1 - 15.0 | 1.10 | 1.10 | 1.10 |

527 Flaxseed Additional CCC Discounts

A Grade

The following table provides the flaxseed additional CCC discounts for grade.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|--|--|
| | Discount per Cwt. | Discount per Cwt. |
| *--Grade Discount for 2007--* and later crop years: | | |
| U.S. Sample Grade | *--\$.50 for 2009 crop \$.50 for 2008 crop \$.50 for 2007 crop | \$.50 for 2010 crop \$.50 for 2009 crop \$.50 for 2008 crop--* |

527 Flaxseed Additional CCC Discounts (Continued)

B Test Weight

The following table provides the flaxseed additional CCC discounts for test weight.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Test Weight (Pounds): | | |
| 46.9 - 46.5 | \$.30 | \$.30 |
| 46.4 - 46.0 | .36 | .36 |
| 45.9 - 45.5 | .42 | .42 |
| 45.4 - 45.0 | .48 | .48 |
| 44.9 - 44.5 | .54 | .54 |
| 44.4 - 44.0 | .60 | .60 |
| 43.9 - 43.5 | .66 | .66 |
| 43.4 - 43.0 | .72 | .72 |
| 42.9 - 42.5 | .78 | .78 |
| 42.4 - 42.0 | .84 | .84 |
| 41.9 - 41.5 | .90 | .90 |
| 41.4 - 41.0 | .96 | .96 |
| 40.9 - 40.5 | 1.02 | 1.02 |
| 40.4 - 40.0 | 1.08 | 1.08 |
| 39.9 - 39.5 | 1.20 | 1.20 |
| 39.4 - 39.0 | 1.32 | 1.32 |
| 38.9 - 38.5 | 1.44 | 1.44 |

527 Flaxseed Additional CCC Discounts (Continued)

B Test Weight (Continued)

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Test Weight (Pounds): | | |
| 38.4 - 38.0 | \$1.56 | \$1.56 |
| 37.9 - 37.5 | 1.68 | 1.68 |
| 37.4 - 37.0 | 1.80 | 1.80 |
| 36.9 - 36.5 | 1.92 | 1.92 |
| 36.4 - 36.0 | 2.04 | 2.04 |
| 35.9 - 35.5 | 2.16 | 2.16 |
| 35.4 - 35.0 | 2.28 | 2.28 |
| 34.9 - 34.5 | 2.40 | 2.40 |
| 34.4 - 34.0 | 2.52 | 2.52 |
| 33.9 - 33.5 | 2.64 | 2.64 |
| 33.4 - 33.0 | 2.76 | 2.76 |
| 32.9 - 32.5 | 2.88 | 2.88 |
| 32.4 - 32.0 | 3.00 | 3.00 |
| 31.9 - 31.5 | 3.12 | 3.12 |
| 31.4 - 31.0 | 3.24 | 3.24 |
| 30.9 - 30.5 | 3.36 | 3.36 |
| 30.4 - 30.0 | 3.48 | 3.48 |
| For each half pound or fraction thereof under 30.0 pounds per cwt., deduct an additional \$.12. | | |
| Example: The total discount for 28.0 pound test weight would be \$3.96. | | |

527 Flaxseed Additional CCC Discounts (Continued)

C Moisture

The following table provides the flaxseed additional CCC discounts for moisture.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Moisture Percent: | | |
| 9.1 - 10.0 | *--\$.15 | \$.15 |
| 10.1 - 11.0 | .30 | .30 |
| 11.1 - 12.0 | .45 | .45 |
| 12.1 - 13.0 | .60 | .60 |
| 13.1 - 14.0 | .75 | .75 |
| 14.1 - 15.0 | .90 | .90 |
| For each 1 percent or fraction thereof over 15.0 percent | .15--* | .15 |
| Example: The total discount for 17.0 percent moisture * * * would be \$1.20. | | |

527 Flaxseed Additional CCC Discounts (Continued)

D Heat Damage

The following table provides the flaxseed additional CCC discounts for heat damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Heat Damage Percent: | | |
| 0.6 - 1.0 | \$.12 | \$.12 |
| 1.1 - 1.5 | .24 | .24 |
| 1.6 - 2.0 | .48 | .48 |
| 2.1 - 3.0 | 1.00 | 1.00 |
| For each 1 percent or fraction thereof over 3.0 percent, deduct an additional \$1.00. | | |
| Example: The total discount for 5.0 percent heat damage would be \$3.00. | | |

527 Flaxseed Additional CCC Discounts (Continued)

E Total Damage

The following table provides the flaxseed additional CCC discounts for total damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Total Damage Percent: | | |
| 15.1 - 16.0 | \$1.60 | \$1.60 |
| 16.1 - 17.0 | 2.10 | 2.10 |
| 17.1 - 18.0 | 2.60 | 2.60 |
| 18.1 - 19.0 | 3.10 | 3.10 |
| 19.1 - 20.0 | 3.60 | 3.60 |
| For each 1 percent or fraction thereof over 20.0 percent, deduct an additional \$.50. | | |
| Example: The total discount for 21.5 percent total damage would be \$4.60. | | |

527 Flaxseed Additional CCC Discounts (Continued)**F Other Factors**

The following table provides the flaxseed additional CCC discounts for other factors.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| COFO | \$.70 | \$.70 |
| Distinctly low quality | .70 | .70 |
| Heating | .40 | .40 |
| Infested | .40 | .40 |
| Musty | .40 | .40 |
| Sour | .40 | .40 |

G Discount for Contaminated Flaxseed

Flaxseed found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

528-599 (Reserved)

Section 2 Premiums, Discounts, and Additional Discounts for Grain Sorghum

626 Crop Year Specific Premiums and Discounts

A Grain Sorghum Premiums and Discounts

The following table provides the premiums and discounts per cwt. for grain sorghum.

| Grade or Factor Description | *--2008 | | 2009 | | 2010--* | |
|---|---------|----------|---------|----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Test Weight (Pounds): | | | | | | |
| 54.5 - 54.0 | | \$.02 | | \$.02 | | \$.02 |
| 53.5 - 53.0 | | .04 | | .04 | | .04 |
| 52.5 - 52.0 | | .06 | | .06 | | .06 |
| 51.5 - 51.0 | | .08 | | .08 | | .08 |
| Broken Kernels, Foreign Material, and Other Grains Percent: | | | | | | |
| 7.1 - 8.0 | | \$.01 | | \$.01 | | \$.01 |
| 8.1 - 9.0 | | .03 | | .03 | | .03 |
| 9.1 - 10.0 | | .05 | | .05 | | .05 |
| 10.1 - 11.0 | | .07 | | .07 | | .07 |
| 11.1 - 12.0 | | .09 | | .09 | | .09 |
| 12.1 - 13.0 | | .12 | | .12 | | .12 |
| 13.1 - 14.0 | | .15 | | .15 | | .15 |
| 14.1 - 15.0 | | .18 | | .18 | | .18 |

626 Crop Year Specific Premiums and Discounts (Continued)

A Grain Sorghum Premiums and Discounts (Continued)

| Grade or Factor Description | *--2008 | | 2009 | | 2010--* | |
|-------------------------------------|---------|----------|---------|----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Damaged Kernels (Total) Percent: | | | | | | |
| 5.1 - 6.0 | | \$.02 | | \$.02 | | \$.02 |
| 6.1 - 7.0 | | .04 | | .04 | | .04 |
| 7.1 - 8.0 | | .06 | | .06 | | .06 |
| 8.1 - 9.0 | | .08 | | .08 | | .08 |
| 9.1 - 10.0 | | .10 | | .10 | | .10 |
| 10.1 - 11.0 | | .12 | | .12 | | .12 |
| 11.1 - 12.0 | | .14 | | .14 | | .14 |
| 12.1 - 13.0 | | .16 | | .16 | | .16 |
| 13.1 - 14.0 | | .18 | | .18 | | .18 |
| 14.1 - 15.0 | | .20 | | .20 | | .20 |
| Heat-Damaged Kernels Percent: | | | | | | |
| 0.6 - 1.0 | | \$.03 | | \$.03 | | \$.03 |
| 1.1 - 2.0 | | .07 | | .07 | | .07 |
| 2.1 - 3.0 | | .11 | | .11 | | .11 |
| Distinctly Discolored | | .10 | | .10 | | .10 |

627 Grain Sorghum Additional CCC Discounts

A Grade

The following table provides the grain sorghum additional CCC discounts for grade.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|--|--|
| | Discount per Cwt. | Discount per Cwt. |
| *--Grade Discount for 2007 and--* later crop years: | | |
| U.S. Sample Grade | *--\$.30 for 2009 crop \$.30 for 2008 crop \$.30 for 2007 crop | \$.30 for 2010 crop \$.30 for 2009 crop \$.30 for 2008 crop--* |

627 Grain Sorghum Additional CCC Discounts (Continued)

B Damaged Kernels (Total)

The following table provides the grain sorghum additional CCC discounts for damaged kernels (total).

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Damaged Kernels (Total) Percent: | | |
| 15.1 - 16.0 | \$.23 | \$.23 |
| 16.1 - 17.0 | .26 | .26 |
| 17.1 - 18.0 | .29 | .29 |
| 18.1 - 19.0 | .32 | .32 |
| 19.1 - 20.0 | .35 | .35 |
| 20.1 - 21.0 | .38 | .38 |
| 21.1 - 22.0 | .41 | .41 |
| 22.1 - 23.0 | .44 | .44 |
| 23.1 - 24.0 | .47 | .47 |
| 24.1 - 25.0 | .50 | .50 |
| 25.1 - 26.0 | .52 | .52 |
| For each 1 percent or fraction thereof over 26.0 percent, deduct an additional \$.02. | | |
| Example: The total discount for 31.6 percent damaged kernels (total) would be \$.64. | | |

627 Grain Sorghum Additional CCC Discounts (Continued)

C Broken Kernels, Foreign Material, and Other Grains

The following table provides the grain sorghum additional CCC discounts for broken kernels, foreign material, and other grains.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Broken Kernels, Foreign Material, and Other Grains Percent: | | |
| 15.1 - 16.0 | \$.21 | \$.21 |
| 16.1 - 17.0 | .24 | .24 |
| 17.1 - 18.0 | .27 | .27 |
| 18.1 - 19.0 | .30 | .30 |
| 19.1 - 20.0 | .33 | .33 |
| 20.1 - 21.0 | .36 | .36 |
| 21.1 - 22.0 | .39 | .39 |
| 22.1 - 23.0 | .42 | .42 |
| For each 1 percent or fraction thereof over 23.0 percent, deduct an additional \$.03. | | |
| Example: The total discount for 26.5 percent broken kernels, foreign material, and other grains would be \$.54. | | |

627 Grain Sorghum Additional CCC Discounts (Continued)

D Heat-Damaged Kernels

The following table provides the grain sorghum additional CCC discounts for heat-damaged kernels.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Heat-Damaged Kernels Percent: | | |
| 3.1 - 3.5 | \$.15 | \$.15 |
| 3.6 - 4.0 | .19 | .19 |
| 4.1 - 4.5 | .23 | .23 |
| 4.6 - 5.0 | .27 | .27 |
| 5.1 - 5.5 | .31 | .31 |
| 5.6 - 6.0 | .35 | .35 |
| 6.1 - 6.5 | .39 | .39 |
| 6.6 - 7.0 | .43 | .43 |
| 7.1 - 7.5 | .47 | .47 |
| 7.6 - 8.0 | .51 | .51 |
| For each 0.5 percent or fraction thereof over 8.0 percent, deduct an additional \$.04. | | |
| Example: The total discount for 9.3 percent heat-damaged kernels would be \$.63. | | |

627 Grain Sorghum Additional CCC Discounts (Continued)

E Test Weight

The following table provides the grain sorghum additional CCC discounts for test weight.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Test Weight (Pounds): | | |
| 50.5 - 50.0 | \$.12 | \$.12 |
| 49.5 - 49.0 | .16 | .16 |
| 48.5 - 48.0 | .20 | .20 |
| 47.5 - 47.0 | .24 | .24 |
| 46.5 - 46.0 | .28 | .28 |
| 45.5 - 45.0 | .32 | .32 |
| 44.5 - 44.0 | .36 | .36 |
| Each whole pound or fraction thereof under 44.0 pounds, deduct an additional \$.04. | | |
| Example: The total discount for 42.0 pounds test weight would be \$.44. | | |

627 Grain Sorghum Additional CCC Discounts (Continued)

F Moisture

The following table provides the grain sorghum additional CCC discounts for moisture.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|-----------------------------|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Moisture Percent: | | |
| 14.1 - 14.2 | \$.02 | \$.02 |
| 14.3 - 14.5 | .04 | .04 |
| 14.6 - 14.7 | .06 | .06 |
| 14.8 - 15.0 | .08 | .08 |
| 15.1 - 15.2 | .10 | .10 |
| 15.3 - 15.5 | .12 | .12 |
| 15.6 - 15.7 | .14 | .14 |
| 15.8 - 16.0 | .16 | .16 |
| 16.1 - 16.2 | .20 | .20 |
| 16.3 - 16.5 | .24 | .24 |
| 16.6 - 16.7 | .28 | .28 |
| 16.8 - 17.0 | .32 | .32 |
| 17.1 - 17.2 | .36 | .36 |
| 17.3 - 17.5 | .40 | .40 |
| 17.6 - 17.7 | .44 | .44 |
| 17.8 - 18.0 | .48 | .48 |
| 18.1 - 18.2 | .52 | .52 |
| 18.3 - 18.5 | .56 | .56 |
| 18.6 - 18.7 | .60 | .60 |
| 18.8 - 19.0 | .64 | .64 |
| 19.1 - 19.2 | .68 | .68 |
| 19.3 - 19.5 | .72 | .72 |
| 19.6 - 19.7 | .76 | .76 |
| 19.8 - 20.0 | .80 | .80 |

627 Grain Sorghum Additional CCC Discounts (Continued)

F Moisture (Continued)

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Moisture Percent: | | |
| 20.1 - 20.2 | \$.84 | \$.84 |
| 20.3 - 20.5 | .88 | .88 |
| 20.6 - 20.7 | .92 | .92 |
| 20.8 - 21.0 | .96 | .96 |
| 21.1 - 21.2 | 1.00 | 1.00 |
| 21.3 - 21.5 | 1.04 | 1.04 |
| 21.6 - 21.7 | 1.08 | 1.08 |
| 21.8 - 22.0 | 1.12 | 1.12 |
| 22.1 - 22.2 | 1.16 | 1.16 |
| 22.3 - 22.5 | 1.20 | 1.20 |
| 22.6 - 22.7 | 1.24 | 1.24 |
| 22.8 - 23.0 | 1.28 | 1.28 |
| 23.1 - 23.2 | 1.32 | 1.32 |
| 23.3 - 23.5 | 1.36 | 1.36 |
| 23.6 - 23.7 | 1.40 | 1.40 |
| 23.8 - 24.0 | 1.44 | 1.44 |
| 24.1 - 24.2 | 1.48 | 1.48 |
| 24.3 - 24.5 | 1.52 | 1.52 |
| 24.6 - 24.7 | 1.56 | 1.56 |
| 24.8 - 25.0 | 1.60 | 1.60 |
| For each 0.5 percent or fraction thereof over 25.0 percent, deduct an additional \$.04. | | |
| Example: The total discount for 27.0 percent moisture would be \$1.76. | | |

627 Grain Sorghum Additional CCC Discounts (Continued)**G Special Grades**

The following table provides the grain sorghum additional CCC discounts for special grades.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|-----------------------------|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Badly weathered | \$.20 | \$.20 |
| COFO | .20 | .20 |
| Heating | .20 | .20 |
| Infested | .20 | .20 |
| Musty | .20 | .20 |
| Sour | .20 | .20 |

H Discount for Contaminated Grain Sorghum

Grain sorghum found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

Exception: For grain sorghum delivered to CCC and the warehouse receipt indicates a vomitoxin level of:

- 5 parts per million or less, determine the settlement rate in the normal manner
- more than 5 parts per million, the grain sorghum shall have a settlement value of **zero**.

628-699 (Reserved)

Section 2 Discounts and Additional Discounts for Mustard Seed

726 Crop Year Specific Discounts

A Mustard Seed Discounts

The following table provides the discounts per cwt. for mustard seed.

| Quality Factor Level | Discount (Dollars per Cwt.) | | |
|-----------------------------------|-----------------------------|--------|---------|
| | *--2008 | 2009 | 2010--* |
| Class Purity Percent: | | | |
| 99.5 - 99.7 | \$1.00 | \$1.00 | \$1.00 |
| Moisture Percent: | | | |
| 8.1 - 10.0 | \$1.00 | \$1.00 | \$1.00 |
| Heat Damage Percent: | | | |
| 0.2 | \$1.00 | \$1.00 | \$1.00 |
| Total Damage Percent: | | | |
| 1.6 - 3.0 | \$1.00 | \$1.00 | \$1.00 |
| Sclerotinia Bodies Percent: | | | |
| 0.2 | \$1.00 | \$1.00 | \$1.00 |
| Inconspicuous Admixtures Percent: | | | |
| 0.2 | \$1.00 | \$1.00 | \$1.00 |
| Conspicuous Admixtures Percent: | | | |
| 0.4 - 0.5 | \$1.00 | \$1.00 | \$1.00 |

727 Mustard Seed Additional CCC Discounts

A Class Purity

The following table provides the mustard seed additional CCC discounts for class purity.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|-----------------------------|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Class Purity Percent: | | |
| 98.0 - 99.4 | \$2.00 | \$2.00 |
| 95.0 - 97.9 | 3.00 | 3.00 |
| 0.0 - 94.9 | 5.00 | 5.00 |

B Moisture

The following table provides the mustard seed additional CCC discounts for moisture.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Moisture Percent: | | |
| 10.1 - 12.0 | \$2.00 | \$2.00 |
| 12.1 - 15.0 | 3.00 | 3.00 |
| For each 3 percent or fraction thereof over 15.0 percent, deduct an additional \$1.00. | | |
| Example: The total discount for 20.0 percent moisture would be \$5.00. | | |

727 Mustard Seed Additional CCC Discounts (Continued)

C Heat Damage

The following table provides the mustard seed additional CCC discounts for heat damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Heat Damage Percent: | | |
| 0.3 - 0.5 | \$2.00 | \$2.00 |
| 0.6 - 1.0 | 3.00 | 3.00 |
| 1.1 - 1.5 | 4.00 | 4.00 |
| 1.6 - 5.0 | 5.00 | 5.00 |
| For each 5 percent or fraction thereof over 5.0 percent, deduct an additional \$1.00. | | |
| Example: The total discount for 16.0 percent heat damage would be \$8.00. | | |

D Sclerotinia Bodies

The following table provides the mustard seed additional CCC discounts for sclerotinia bodies.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Sclerotinia Bodies Percent: | | |
| 0.3 | \$2.00 | \$2.00 |
| 0.4 - 1.0 | 3.00 | 3.00 |
| 1.1 - 1.5 | 4.00 | 4.00 |
| 1.6 - 3.0 | 5.00 | 5.00 |
| For each 1.5 percent or fraction thereof over 3.0 percent, deduct an additional \$1.00. | | |
| Example: The total discount for 6.5 percent sclerotinia bodies would be \$8.00 | | |

727 Mustard Seed Additional CCC Discounts (Continued)

E Distinctly Green Seed

The following table provides the mustard seed additional CCC discounts for distinctly green seed.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Distinctly Green Seed Percent: | | |
| 1.6 - 3.5 | \$1.00 | \$1.00 |
| 3.6 - 5.0 | 2.00 | 2.00 |
| For each 1.5 percent or fraction thereof over 5.0 percent, deduct an additional \$1.00. | | |
| Example: The total discount for 7.5 percent distinctly green seed would be \$4.00. | | |

F Total Damage

The following table provides the mustard seed additional CCC discounts for total damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Total Damage Percent: | | |
| 3.1 - 5.0 | \$2.00 | \$2.00 |
| 5.1 - 10.5 | 3.00 | 3.00 |
| 10.6 - 15.0 | 4.00 | 4.00 |
| 15.1 - 20.0 | 5.00 | 5.00 |
| For each 5 percent or fraction thereof over 20.0 percent, deduct an additional \$1.00. | | |
| Example: The total discount for 27.0 percent total damage would be \$7.00. | | |

727 Mustard Seed Additional CCC Discounts (Continued)

G Conspicuous Admixture

The following table provides the mustard seed additional CCC discounts for conspicuous admixture.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Conspicuous Admixture Percent: | | |
| 0.6 - 0.7 | \$2.00 | \$2.00 |
| 0.8 - 1.0 | 3.00 | 3.00 |
| 1.1 - 1.5 | 4.00 | 4.00 |
| 1.6 - 3.0 | 5.00 | 5.00 |
| For each 1.5 percent or fraction thereof over 3.0 percent, deduct an additional \$1.00. | | |
| Example: The total discount for 5.0 percent conspicuous admixture would be \$7.00. | | |

H Other Weed Seeds

The following table provides the mustard seed additional CCC discounts for other weed seeds.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|-----------------------------|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Other Weed Seeds Percent: | | |
| 0.6 - 0.7 | \$2.00 | \$2.00 |
| 0.8 - 1.0 | 3.00 | 3.00 |
| 1.1 - 1.5 | 4.00 | 4.00 |
| 1.6 - 3.0 | 5.00 | 5.00 |

727 Mustard Seed Additional CCC Discounts (Continued)**I Other Factors**

The following table provides the mustard seed additional CCC discounts for other factors.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| COFO | \$4.00 | \$4.00 |
| Heating | 2.00 | 2.00 |
| Infested | 2.00 | 2.00 |
| Musty | 2.00 | 2.00 |
| Sour | 2.00 | 2.00 |

J Discount for Contaminated Mustard Seed

Mustard seed found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

728-799 (Reserved)

Section 2 Premiums, Discounts, and Additional Discounts for Oats

826 Crop Year Specific Premiums and Discounts

A Oat Premiums and Discounts

The following table provides the premiums and discounts per bushel for oats.

| Grade or Factor Description | *--2008 | | 2009 | | 2010--* | |
|---|---------|----------|---------|----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Test Weight (Pounds): | | | | | | |
| 38.0 or better | | \$.00 | | \$.00 | | \$.00 |
| 37.5 | | .08 | | .08 | | .08 |
| 37.0 | | .08 | | .08 | | .08 |
| 36.5 | | .09 | | .09 | | .09 |
| 36.0 | | .09 | | .09 | | .09 |
| 35.5 | | .12 | | .12 | | .12 |
| 35.0 | | .13 | | .13 | | .13 |
| 34.5 | | .14 | | .14 | | .14 |
| 34.0 | | .15 | | .15 | | .15 |
| 33.5 | | .16 | | .16 | | .16 |
| 33.0 | | .17 | | .17 | | .17 |
| 32.5 | | .18 | | .18 | | .18 |
| 32.0 | | .21 | | .21 | | .21 |
| 31.5 | | .24 | | .24 | | .24 |
| 31.0 | | .27 | | .27 | | .27 |
| 30.5 | | .30 | | .30 | | .30 |
| 30.0 | | .33 | | .33 | | .33 |
| See additional schedule of discounts for 2008 and subsequent crop years for oats with a test weight under 30.0 pounds per bushel. | | | | | | |

826 Crop Year Specific Premiums and Discounts

A Oats Premiums and Discounts (Continued)

| Grade or Factor Description | *--2008 | | 2009 | | 2010--* | |
|---------------------------------------|---------|----------|---------|----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Moisture Percent: | | | | | | |
| 13.5 - 13.7 | | \$.01 | | \$.01 | | \$.01 |
| 13.8 - 14.0 | | .02 | | .02 | | .02 |
| Foreign Material Percent: | | | | | | |
| 3.1 - 3.5 | | \$.01 | | \$.01 | | \$.01 |
| 3.6 - 4.0 | | .02 | | .02 | | .02 |
| Heat-Damaged Kernels Percent: | | | | | | |
| 0.4 - 0.5 | | \$.03 | | \$.03 | | \$.03 |
| 0.6 | | .06 | | .06 | | .06 |
| 0.7 | | .09 | | .09 | | .09 |
| 0.8 | | .12 | | .12 | | .12 |
| 0.9 | | .15 | | .15 | | .15 |
| 1.0 | | .18 | | .18 | | .18 |
| Sound-Cultivated Oats Percent: | | | | | | |
| 93.0 - 93.9 | | \$.03 | | \$.03 | | \$.03 |
| 92.0 - 92.9 | | .06 | | .06 | | .06 |
| 91.0 - 91.9 | | .09 | | .09 | | .09 |
| 90.0 - 90.9 | | .12 | | .12 | | .12 |
| Slightly Weathered | | .15 | | .15 | | .15 |
| Special Grade Discount of Garlicky | | .15 | | .15 | | .15 |

827 Oats Additional CCC Discounts

A Grade

The following table provides the oats additional CCC discounts for grade.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|--|--|
| | Discount per Bushel | Discount per Bushel |
| *--Grade Discount for 2007 and--* later crop years: | | |
| Grade U.S. No. 3 | \$.15 | \$.15 |
| Grade U.S. No. 4 | \$.25 | \$.25 |
| U.S. Sample Grade | *--\$.35 for 2009 crop \$.35 for 2008 crop \$.35 for 2007 crop | \$.35 for 2010 crop \$.35 for 2009 crop \$.35 for 2008 crop--* |

B Test Weight

The following table provides the oats additional CCC discounts for test weight.

| Grade or Factor Description | *--2008 | | 2009 | | 2010--* | |
|---|---------|----------|---------|----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Test Weight (Pounds) | | | | | | |
| 29.5 | | \$.36 | | \$.36 | | \$.36 |
| 29.0 | | .39 | | .39 | | .39 |
| 28.5 | | .42 | | .42 | | .42 |
| 28.0 | | .45 | | .45 | | .45 |
| 27.5 | | .48 | | .48 | | .48 |
| 27.0 | | .51 | | .51 | | .51 |
| 26.5 | | .49 | | .54 | | .54 |
| 26.0 | | .49 | | .54 | | .54 |
| 25.5 | | .52 | | .57 | | .57 |
| 25.0 | | .52 | | .57 | | .57 |
| For each whole pound or fraction thereof under 25.0 pounds per bushel, deduct an additional \$.04 | | | | | | |
| Example: The total discount for 23.5 pounds test weight would be \$.65 per bushel * * *. | | | | | | |

827 Oats Additional CCC Discounts (Continued)

C Foreign Material

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Foreign Material Percent: | | |
| 4.1 - 4.5 | \$.03 | \$.03 |
| 4.6 - 5.0 | .04 | .04 |
| 5.1 - 5.5 | .05 | .05 |
| 5.6 - 6.0 | .06 | .06 |
| 6.1 - 6.5 | .07 | .07 |
| 6.6 - 7.0 | .08 | .08 |
| 7.1 - 7.5 | .09 | .09 |
| 7.6 - 8.0 | .10 | .10 |
| 8.1 - 8.5 | .12 | .12 |
| 8.6 - 9.0 | .14 | .14 |
| 9.1 - 9.5 | .16 | .16 |
| 9.6 - 10.0 | .18 | .18 |
| 10.1 - 10.5 | .20 | .20 |
| 10.6 - 11.0 | .22 | .22 |
| 11.1 - 11.5 | .24 | .24 |
| 11.6 - 12.0 | .26 | .26 |
| 12.1 - 12.5 | .28 | .28 |
| 12.6 - 13.0 | .30 | .30 |
| 13.1 - 13.5 | .32 | .32 |
| 13.6 - 14.0 | .34 | .34 |
| 14.1 - 14.5 | .36 | .36 |
| 14.6 - 15.0 | .38 | .38 |
| 15.1 - 15.5 | .39 | .39 |
| 15.6 - 16.0 | .40 | .40 |
| 16.1 - 16.5 | .41 | .41 |
| 16.6 - 17.0 | .42 | .42 |
| For each 0.5 percent or fraction thereof over 17.0 percent, deduct an additional \$.01. | | |
| Example: The total discount for 49.0 percent foreign material would be \$1.06. | | |

827 Oats Additional CCC Discounts (Continued)

D Heat-Damaged Kernels

The following table provides the oats additional CCC discounts for heat-damaged kernels.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Heat-Damaged Kernels Percent: | | |
| 1.1 | \$.21 | \$.21 |
| 1.2 | .24 | .24 |
| 1.3 | .27 | .27 |
| 1.4 | .30 | .30 |
| 1.5 | .33 | .33 |
| For each tenth of a percent over 1.5 percent, deduct an additional \$.01. | | |
| Example: The total discount for 2.7 percent heat-damaged kernels would be \$.45. | | |

E Sound-Cultivated Oats

The following table provides the oats additional CCC discounts for sound-cultivated oats.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Sound-Cultivated Oats Percent: | | |
| 89.0 - 89.9 | \$.15 | \$.15 |
| 88.0 - 88.9 | .18 | .18 |
| 87.0 - 87.9 | .21 | .21 |
| 86.0 - 86.9 | .24 | .24 |
| 85.0 - 85.9 | .27 | .27 |
| 84.0 - 84.9 | .30 | .30 |
| 83.0 - 83.9 | .33 | .33 |
| 82.0 - 82.9 | .36 | .36 |
| 81.0 - 81.9 | .39 | .39 |
| 80.0 - 80.9 | .42 | .42 |
| For each 1 percent or fraction thereof under 80.0 percent, deduct an additional \$.03. | | |
| Example: The total discount for 77.8 percent sound-cultivated oats would be \$.51. | | |

827 Oats Additional CCC Discounts (Continued)

F Moisture

The following table provides the oats additional CCC discounts for moisture.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Bushel | Discount per Bushel |
| Moisture Percent: | | |
| 14.1 | \$.03 | \$.03 |
| 14.2 | .04 | .04 |
| 14.3 | .05 | .05 |
| 14.4 | .06 | .06 |
| 14.5 | .07 | .07 |
| 14.6 | .08 | .08 |
| 14.7 | .09 | .09 |
| 14.8 | .10 | .10 |
| 14.9 | .11 | .11 |
| 15.0 | .12 | .12 |
| 15.1 | .13 | .13 |
| 15.2 | .14 | .14 |
| 15.3 | .15 | .15 |
| 15.4 | .16 | .16 |
| 15.5 | .17 | .17 |
| 15.6 | .19 | .19 |
| 15.7 | .21 | .21 |
| 15.8 | .23 | .23 |
| 15.9 | .25 | .25 |
| 16.0 | .27 | .27 |
| 16.1 | .29 | .29 |
| 16.2 | .31 | .31 |
| 16.3 | .33 | .33 |
| 16.4 | .35 | .35 |
| 16.5 | .37 | .37 |
| 16.6 | .39 | .39 |
| 16.7 | .41 | .41 |
| 16.8 | .43 | .43 |
| 16.9 | .45 | .45 |

827 Oats Additional CCC Discounts (Continued)

F Moisture (Continued)

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Moisture Percent: | | |
| 17.0 | \$.47 | \$.47 |
| 17.1 | .49 | .49 |
| 17.2 | .51 | .51 |
| 17.3 | .53 | .53 |
| 17.4 | .55 | .55 |
| 17.5 | .57 | .57 |
| 17.6 | .59 | .59 |
| 17.7 | .61 | .61 |
| 17.8 | .63 | .63 |
| 17.9 | .65 | .65 |
| 18.0 | .67 | .67 |
| 18.1 | .69 | .69 |
| 18.2 | .71 | .71 |
| 18.3 | .73 | .73 |
| 18.4 | .75 | .75 |
| 18.5 | .77 | .77 |
| 18.6 | .79 | .79 |
| 18.7 | .81 | .81 |
| 18.8 | .83 | .83 |
| 18.9 | .85 | .85 |
| 19.0 | .87 | .87 |
| For each 0.5 percent or fraction thereof over 19.0 percent, deduct an additional \$.02. | | |
| Example: The total discount for 25.0 percent moisture would be \$1.11. | | |

827 Oats Additional CCC Discounts (Continued)**G Special Grades**

The following table provides the oats additional CCC discounts for special grades.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---------------------------------------|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Bleached | \$.10 | \$.10 |
| COFO | .15 | .15 |
| Heating | .15 | .15 |
| Infested | .15 | .15 |
| Materially weathered or badly stained | .15 | .15 |
| Musty | .15 | .15 |
| Sour | .15 | .15 |
| Smutty | .15 | .15 |

H Discount for Contaminated Oats

Oats found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

Exception: For oats delivered to CCC and the warehouse receipt indicates a vomitoxin level of:

- 5 parts per million or less, determine the settlement rate in the normal manner
- more than 5 parts per million, the oats shall have a settlement value of **zero**.

828-899 (Reserved)

Section 2 Discounts and Additional Discounts for Rapeseed

926 Crop Year Specific Discounts

A Rapeseed Discounts

The following table provides the discounts per cwt. for rapeseed.

| Quality Factor Level | Discount (Dollars per Cwt.) | | |
|-----------------------------|------------------------------------|-------------|----------------|
| | *--2008 | 2009 | 2010--* |
| Oil Content Percent: | | | |
| 37.9 - 37.0 | \$.22 | \$.22 | \$.22 |
| 36.9 - 36.0 | .44 | .44 | .44 |
| 35.9 - 35.0 | .66 | .66 | .66 |
| Moisture Percent: | | | |
| 8.1 - 8.5 | \$.11 | \$.11 | \$.11 |
| 8.6 - 9.0 | .22 | .22 | .22 |
| 9.1 - 9.5 | .33 | .33 | .33 |
| 9.6 - 10.0 | .44 | .44 | .44 |
| Heat Damage Percent: | | | |
| 0.2 - 0.5 | \$.10 | \$.10 | \$.10 |

926 Crop Year Specific Discounts (Continued)

A Rapeseed Discounts (Continued)

| Quality Factor Level | Discount (Dollars per Cwt.) | | |
|---------------------------------------|--|--|--|
| | *--2008 | 2009 | 2010--* |
| Total Damage Percent: | | | |
| 2.1 - 3.0 | \$.06 | \$.06 | \$.06 |
| 3.1 - 4.0 | .12 | .12 | .12 |
| 4.1 - 5.0 | .18 | .18 | .18 |
| 5.1 - 6.0 | .24 | .24 | .24 |
| 6.1 - 7.0 | .30 | .30 | .30 |
| 7.1 - 8.0 | .38 | .38 | .38 |
| 8.1 - 9.0 | .46 | .46 | .46 |
| 9.1 - 10.0 | .56 | .56 | .56 |
| Garlic Bulbs (per 500 grams): | | | |
| 4 - 15 bulbs | \$.02 per bulb over 3 not to exceed 15 | \$.02 per bulb over 3 not to exceed 15 | \$.02 per bulb over 3 not to exceed 15 |
| Distinctly Green Seeds Percent: | | | |
| 2.1 - 6.0 | \$.12 | \$.12 | \$.12 |
| Total Conspicuous Admixtures Percent: | | | |
| 1.1 - 1.5 | \$.38 | \$.38 | \$.38 |

927 Rapeseed Additional CCC Discounts

A Oil Content

The following table provides the rapeseed additional CCC discounts for oil content.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Oil Content Percent: | | |
| 34.9 - 34.0 | \$1.10 | \$1.10 |
| 33.9 - 33.0 | 1.54 | 1.54 |
| 32.9 - 32.0 | 1.98 | 1.98 |
| 31.9 - 31.0 | 2.42 | 2.42 |
| 30.9 - 30.0 | 2.86 | 2.86 |
| 29.9 - 29.0 | 3.74 | 3.74 |
| 28.9 - 28.0 | 4.62 | 4.62 |
| 27.9 - 27.0 | 5.50 | 5.50 |
| 26.9 - 26.0 | 6.38 | 6.38 |
| 25.9 - 25.0 | 7.26 | 7.26 |
| 24.9 - 24.0 | 8.14 | 8.14 |
| 23.9 - 23.0 | 9.02 | 9.02 |
| 22.9 - 22.0 | 9.90 | 9.90 |
| 21.9 - 21.0 | 10.78 | 10.78 |
| 20.9 - 20.0 | 11.66 | 11.66 |
| For each 1 percent or fraction thereof under 20.0 percent, deduct an additional \$.88. | | |
| Example: The total discount for 19.5 percent oil content would be \$12.54. | | |

927 Rapeseed Additional CCC Discounts (Continued)

B Moisture

The following table provides the rapeseed additional CCC discounts for moisture.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Moisture Percent: | | |
| 10.1 - 10.5 | \$.69 | \$.69 |
| 10.6 - 11.0 | .94 | .94 |
| 11.1 - 11.5 | 1.19 | 1.19 |
| 11.6 - 12.0 | 1.44 | 1.44 |
| 12.1 - 12.5 | 1.94 | 1.94 |
| 12.6 - 13.0 | 2.44 | 2.44 |
| 13.1 - 13.5 | 2.94 | 2.94 |
| 13.6 - 14.0 | 3.44 | 3.44 |
| 14.1 - 14.5 | 3.94 | 3.94 |
| 14.6 - 15.0 | 4.44 | 4.44 |
| For each 0.5 percent or fraction thereof over 15.0 percent, deduct an additional \$.50. | | |
| Example: The total discount for 16.5 percent moisture would be \$5.94. | | |

927 Rapeseed Additional CCC Discounts (Continued)

C Heat Damage

The following table provides the rapeseed additional CCC discounts for heat damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Heat Damage Percent: | | |
| 0.6 - 1.0 | \$.20 | \$.20 |
| 1.1 - 1.5 | .30 | .30 |
| 1.6 - 2.0 | .40 | .40 |
| 2.1 - 3.0 | .60 | .60 |
| 3.1 - 4.0 | 1.40 | 1.40 |
| 4.1 - 5.0 | 2.20 | 2.20 |
| 5.1 - 6.0 | 3.20 | 3.20 |
| 6.1 - 7.0 | 4.20 | 4.20 |
| 7.1 - 8.0 | 5.20 | 5.20 |
| 8.1 - 9.0 | 6.20 | 6.20 |
| 9.1 - 10.0 | 7.20 | 7.20 |
| For each 1 percent or fraction thereof over 10.0 percent, deduct an additional \$1.00. | | |
| Example: The total discount for 11.5 percent heat damage would be \$9.20. | | |

927 Rapeseed Additional CCC Discounts (Continued)

D Sclerotinia Bodies

The following table provides the rapeseed additional CCC discounts for sclerotinia bodies.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Sclerotinia Bodies Percent: | | |
| 0.2 | \$.38 | \$.38 |
| 0.3 | 1.50 | 1.50 |
| 0.4 | 2.25 | 2.25 |
| 0.5 | 5.00 | 5.00 |
| For each 0.1 percent or fraction thereof over 0.5 percent, deduct an additional \$2.75. | | |
| Example: The total discount for 0.7 percent sclerotinia bodies would be \$10.50. | | |

927 Rapeseed Additional CCC Discounts (Continued)

E Distinctly Green Seed

The following table provides the rapeseed additional CCC discounts for distinctly green seed.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Distinctly Green Seed Percent: | | |
| 6.1 - 10.0 | \$.24 | \$.24 |
| 10.1 - 15.0 | .40 | .40 |
| 15.1 - 20.0 | .60 | .60 |
| 20.1 - 25.0 | 1.50 | 1.50 |
| 25.1 - 35.0 | 3.00 | 3.00 |
| For each 10 percent or fraction thereof over 35.0 percent, deduct an additional \$1.50. | | |
| Example: The total discount for 50.0 percent distinctly green seed would be \$6.00. | | |

927 Rapeseed Additional CCC Discounts (Continued)

F Total Damage

The following table provides the rapeseed additional CCC discounts for total damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Total Damage Percent: | | |
| 10.1 - 11.0 | \$.81 | \$.81 |
| 11.1 - 12.0 | 1.06 | 1.06 |
| 12.1 - 13.0 | 1.31 | 1.31 |
| 13.1 - 14.0 | 1.56 | 1.56 |
| 14.1 - 15.0 | 1.81 | 1.81 |
| 15.1 - 16.0 | 2.31 | 2.31 |
| 16.1 - 17.0 | 2.81 | 2.81 |
| 17.1 - 18.0 | 3.31 | 3.31 |
| 18.1 - 19.0 | 3.81 | 3.81 |
| 19.1 - 20.0 | 4.31 | 4.31 |
| 20.1 - 21.0 | 4.81 | 4.81 |
| 21.1 - 22.0 | 5.31 | 5.31 |
| 22.1 - 23.0 | 5.81 | 5.81 |
| 23.1 - 24.0 | 6.31 | 6.31 |
| 24.1 - 25.0 | 6.81 | 6.81 |
| For each 1 percent or fraction thereof over 25.0 percent, deduct an additional \$.50. | | |
| Example: The total discount for 26.5 percent total damage would be \$7.81. | | |

927 Rapeseed Additional CCC Discounts (Continued)

G Total Conspicuous Admixtures

The following table provides the rapeseed additional CCC discounts for total conspicuous admixtures.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Total Conspicuous Admixtures Percent: | | |
| 1.6 - 2.0 | \$1.50 | \$1.50 |
| 2.1 - 2.5 | 2.25 | 2.25 |
| 2.6 - 3.0 | 5.00 | 5.00 |
| For each 0.5 percent or fraction thereof over 3.0 percent, deduct an additional \$2.75. | | |
| Example: The total discount for 4.0 percent total conspicuous admixtures would be \$10.50. | | |

H Garlic Bulbs

The following table provides the rapeseed additional CCC discounts for garlic bulbs.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|-------------------------------|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Garlic Bulbs (per 500 grams): | | |
| 16 - 20 | \$.30 | \$.30 |
| 21 - 30 | .50 | .50 |
| 31 - 50 | .75 | .75 |
| 51 - 75 | 1.50 | 1.50 |
| 76 - 100 | 3.00 | 3.00 |

927 Rapeseed Additional CCC Discounts (Continued)**I Other Factors**

The following table provides the rapeseed additional CCC discounts for other factors.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| COFO | \$.70 | \$.70 |
| Heating | .40 | .40 |
| Infested | .40 | .40 |
| Musty | .40 | .40 |
| Sour | .40 | .40 |

J Discount for Contaminated Rapeseed

Rapeseed found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

928-999 (Reserved)

Section 2 Premiums, Discounts, and Additional Discounts for Safflower

1026 Crop Year Specific Premiums and Discounts

A Safflower Premiums and Discounts

The following table provides the premiums and discounts per cwt. for safflower.

| Quality Factor Level | *--2008 | | 2009 | | 2010--* | |
|-----------------------------|--|----------|--|----------|--|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Oil Content Percent: | | | | | | |
| 38.1 or higher | \$.02 for each 1.0 or fraction above 38.0 | | \$.02 for each 1.0 or fraction above 38.0 | | \$.02 for each 1.0 or fraction above 38.0 | |
| 38.0 | | | | | | |
| 37.9 - 37.0 | | \$.22 | | \$.22 | | \$.22 |
| 36.9 - 36.0 | | .44 | | .44 | | .44 |
| 35.9 - 35.0 | | .66 | | .66 | | .66 |
| Moisture Percent: | | | | | | |
| 8.1 - 9.0 | | \$.22 | | \$.22 | | \$.22 |
| 9.1 - 10.0 | | .44 | | .44 | | .44 |
| Free Fatty Acid Percent: | | | | | | |
| 1.1 - 2.0 | | \$.07 | | \$.07 | | \$.07 |
| 2.1 - 2.5 | | .14 | | .14 | | .14 |
| 2.6 - 3.5 | | .25 | | .25 | | .25 |
| 3.6 - 4.0 | | .36 | | .36 | | .36 |

1026 Crop Year Specific Premiums and Discounts (Continued)

A Safflower Premiums and Discounts (Continued)

| Quality Factor Level | *--2008 | | 2009 | | 2010--* | |
|-----------------------|---------|----------|---------|----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Dockage Percent: | | | | | | |
| 1.1 - 2.0 | | \$.11 | | \$.11 | | \$.11 |
| 2.1 - 3.0 | | .22 | | .22 | | .22 |
| 3.1 - 4.0 | | .33 | | .33 | | .33 |
| 4.1 - 5.0 | | .44 | | .44 | | .44 |
| 5.1 - 6.0 | | .55 | | .55 | | .55 |
| Other Grains Percent: | | | | | | |
| 0.6 - 1.0 | | \$.10 | | \$.10 | | \$.10 |
| 1.1 - 1.5 | | .20 | | .20 | | .20 |
| 1.6 - 2.0 | | .30 | | .30 | | .30 |
| 2.1 - 3.0 | | .50 | | .50 | | .50 |

1027 Safflower Additional CCC Discounts

A Oil Content

The following table provides the safflower additional CCC discounts for oil content.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Oil Content Percent: | | |
| 34.9 - 34.0 | \$1.10 | \$1.10 |
| 33.9 - 33.0 | 1.54 | 1.54 |
| 32.9 - 32.0 | 1.98 | 1.98 |
| 31.9 - 31.0 | 2.42 | 2.42 |
| 30.9 - 30.0 | 2.86 | 2.86 |
| For each 1 percent or fraction thereof under 30.0 percent, deduct an additional \$.88. | | |
| Example: The total discount for 28.5 percent oil content would be \$4.62. | | |

1027 Safflower Additional CCC Discounts (Continued)

B Moisture

The following table provides the safflower additional CCC discounts for moisture.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Moisture Percent: | | |
| 10.1 - 11.0 | \$.88 | \$.88 |
| 11.1 - 12.0 | 1.32 | 1.32 |
| 12.1 - 13.0 | 2.32 | 2.32 |
| 13.1 - 14.0 | 3.32 | 3.32 |
| 14.1 - 15.0 | 4.32 | 4.32 |
| For each 1 percent or fraction thereof over 15.0 percent, deduct an additional \$1.00. | | |
| Example: The total discount for 16.5 percent moisture would be \$6.32. | | |

1027 Safflower Additional CCC Discounts (Continued)

C Heat Damage

The following table provides the safflower additional CCC discounts for heat damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Heat Damage Percent: | | |
| 0.2 - 0.5 | \$.25 | \$.25 |
| 0.6 - 1.0 | .50 | .50 |
| 1.1 - 1.5 | 1.50 | 1.50 |
| 1.6 - 2.0 | 2.50 | 2.50 |
| For each 0.5 percent or fraction thereof over 2.0 percent, deduct an additional \$1.00. | | |
| Example: The total discount for 3.5 percent heat damage would be \$5.50. | | |

1027 Safflower Additional CCC Discounts (Continued)

D Free Fatty Acid

The following table provides the safflower additional CCC discounts for free fatty acid.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Free Fatty Acid Percent: | | |
| 4.1 - 4.5 | \$.61 | \$.61 |
| 4.6 - 5.0 | .86 | .86 |
| For each 0.5 percent or fraction thereof over 5.0 percent, deduct an additional \$.25. | | |
| Example: The total discount for 7.0 percent for free fatty acid would be \$1.86. | | |

E Other Grains

This table provides the safflower additional CCC discounts for other grains.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Other Grains Percent: | | |
| 3.1 - 4.0 | \$.70 | \$.70 |
| 4.1 - 5.0 | .90 | .90 |
| For each 1 percent or fraction thereof over 5.0 percent, deduct an additional \$.20. | | |
| Example: The total discount for 7.5 percent other grains would be \$1.50. | | |

1027 Safflower Additional CCC Discounts (Continued)

F Total Damage

The following table provides the safflower additional CCC discounts for total damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Total Damage Percent: | | |
| 3.1 - 4.0 | \$.05 | \$.05 |
| 4.1 - 5.0 | .10 | .10 |
| 5.1 - 6.0 | .15 | .15 |
| 6.1 - 7.0 | .20 | .20 |
| 7.1 - 8.0 | .25 | .25 |
| 8.1 - 9.0 | .30 | .30 |
| 9.1 - 10.0 | .35 | .35 |
| 10.1 - 11.0 | .45 | .45 |
| 11.1 - 12.0 | .55 | .55 |
| 12.1 - 13.0 | .65 | .65 |
| 13.1 - 14.0 | .75 | .75 |
| 14.1 - 15.0 | .85 | .85 |
| 15.1 - 16.0 | 1.10 | 1.10 |
| 16.1 - 17.0 | 1.35 | 1.35 |
| 17.1 - 18.0 | 1.60 | 1.60 |
| 18.1 - 19.0 | 1.85 | 1.85 |
| 19.1 - 20.0 | 2.10 | 2.10 |
| For each 1 percent or fraction thereof over 20.0 percent, deduct an additional \$.25. | | |
| Example: The total discount for 21.5 percent total damage would be \$2.60. | | |

1027 Safflower Additional CCC Discounts (Continued)

G Dockage

The following table provides the safflower additional CCC discounts for dockage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Dockage Percent: | | |
| 6.1 - 7.0 | \$.77 | \$.77 |
| 7.1 - 8.0 | .99 | .99 |
| 8.1 - 9.0 | 1.21 | 1.21 |
| 9.1 - 10.0 | 1.43 | 1.43 |
| For each 1 percent or fraction thereof over 10.0 percent, deduct an additional \$.22. | | |
| Example: The total discount for 11.5 percent dockage would be \$1.87. | | |

1027 Safflower Additional CCC Discounts (Continued)**H Other Factors**

The following table provides the safflower additional CCC discounts for other factors.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| COFO | \$.70 | \$.70 |
| Heating | .50 | .50 |
| Infested | .50 | .50 |
| Musty | .50 | .50 |
| Sour | .50 | .50 |

I Discount for Contaminated Safflower

Safflower found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

1028-1099 (Reserved)

Section 2 Premiums, Discounts, and Additional Discounts for Soybeans

1126 Crop Year Specific Premiums and Discounts

A Soybean Premiums and Discounts

The following table provides the premiums and discounts per bushel for soybeans.

| Grade or Factor Description | *--2008 | | 2009 | | 2010--* | |
|--------------------------------|---------|----------|---------|----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Class Discount: | | | | | | |
| Mixed Soybeans | | \$.25 | | \$.25 | | \$.25 |
| Moisture Percent: | | | | | | |
| 13.1 - 13.5 | | \$.05 | | \$.05 | | \$.05 |
| 13.6 - 14.0 | | .10 | | .10 | | .10 |
| Test Weight (Pounds): | | | | | | |
| 53.0 - 53.9 | | \$.005 | | \$.005 | | \$.005 |
| 52.0 - 52.9 | | .01 | | .01 | | .01 |
| 51.0 - 51.9 | | .015 | | .015 | | .015 |
| 50.0 - 50.9 | | .02 | | .02 | | .02 |
| 49.0 - 49.9 | | .025 | | .025 | | .025 |
| Splits Percent: | | | | | | |
| 20.1 - 25.0 | | \$.01 | | \$.01 | | \$.01 |
| 25.1 - 30.0 | | .02 | | .02 | | .02 |
| 30.1 - 35.0 | | .03 | | .03 | | .03 |
| 35.1 - 40.0 | | .04 | | .04 | | .04 |

1126 Crop Year Specific Premiums and Discounts (Continued)

A Soybean Premiums and Discounts (Continued)

| Grade or Factor Description | *--2008 | | 2009 | | 2010--* | |
|--------------------------------|---------|----------|---------|----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Heat-Damaged Percent: | | | | | | |
| 0.3 - 0.5 | | \$.03 | | \$.03 | | \$.03 |
| 0.6 - 1.0 | | .06 | | .06 | | .06 |
| 1.1 - 1.5 | | .09 | | .09 | | .09 |
| 1.6 - 2.0 | | .12 | | .12 | | .12 |
| 2.1 - 2.5 | | .15 | | .15 | | .15 |
| 2.6 - 3.0 | | .18 | | .18 | | .18 |
| Total Damage Percent: | | | | | | |
| 2.1 - 3.0 | | \$.02 | | \$.02 | | \$.02 |
| 3.1 - 4.0 | | .04 | | .04 | | .04 |
| 4.1 - 5.0 | | .06 | | .06 | | .06 |
| 5.1 - 5.5 | | .08 | | .08 | | .08 |
| 5.6 - 6.0 | | .10 | | .10 | | .10 |
| 6.1 - 6.5 | | .12 | | .12 | | .12 |
| 6.6 - 7.0 | | .14 | | .14 | | .14 |
| 7.1 - 7.5 | | .16 | | .16 | | .16 |
| 7.6 - 8.0 | | .18 | | .18 | | .18 |

1126 Crop Year Specific Premiums and Discounts (Continued)

A Soybean Premiums and Discounts (Continued)

| Grade or Factor Description | *--2008 | | 2009 | | 2010--* | |
|--|---------|----------|---------|----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Soybeans of Other Colors in Yellow Soybeans Percent: | | | | | | |
| 2.1 - 5.0 | | \$.015 | | \$.015 | | \$.015 |
| 5.1 - 10.0 | | .035 | | .035 | | .035 |
| Purple Mottled or Stained | | .02 | | .02 | | .02 |

1127 Soybean Additional CCC Discounts

A Grade

The following table provides the soybean additional CCC discounts for grade.

*--

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|--|--|
| | Discount per Bushel | Discount per Bushel |
| *--Grade Discount for 2007 and--* later crop years: | | |
| U.S. Sample Grade | *--\$.15 for 2009 crop \$.15 for 2008 crop \$.15 for 2007 crop | \$.15 for 2010 crop \$.15 for 2009 crop \$.15 for 2008 crop--* |

B Test Weight

The following table provides the soybean additional CCC discounts for test weight.

| Grade or Factor Description | Effective July 1, 2009 | Effective July 1, 2010--* |
|--|------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Test Weight (Pounds): | | |
| 48.9 - 48.0 | \$.035 | \$.035 |
| 47.9 - 47.0 | .045 | .045 |
| 46.9 - 46.0 | .055 | .055 |
| 45.9 - 45.0 | .065 | .065 |
| 44.9 - 44.0 | .075 | .075 |
| 43.9 - 43.0 | .085 | .085 |
| 42.9 - 42.0 | .095 | .095 |
| 41.9 - 41.0 | .105 | .105 |
| For each whole pound or fraction thereof under 41.0 pounds per bushel, deduct an additional \$.01. | | |
| Example: The total discount for 39.0 pound test weight would be \$.125. | | |

1127 Soybean Additional CCC Discounts (Continued)

C Heat Damage

The following table provides the soybean additional CCC discounts for heat damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Heat Damage Percent: | | |
| 3.1 - 3.5 | \$.22 | \$.22 |
| 3.6 - 4.0 | .26 | .26 |
| 4.1 - 4.5 | .30 | .30 |
| 4.6 - 5.0 | .34 | .34 |
| 5.1 - 5.5 | .38 | .38 |
| 5.6 - 6.0 | .42 | .42 |
| 6.1 - 6.5 | .46 | .46 |
| 6.6 - 7.0 | .50 | .50 |
| 7.1 - 7.5 | .54 | .54 |
| 7.6 - 8.0 | .58 | .58 |
| 8.1 - 8.5 | .62 | .62 |
| 8.6 - 9.0 | .66 | .66 |
| 9.1 - 9.5 | .70 | .70 |
| 9.6 - 10.0 | .74 | .74 |
| 10.1 - 10.5 | .78 | .78 |
| 10.6 - 11.0 | .82 | .82 |
| 11.1 - 11.5 | .86 | .86 |
| 11.6 - 12.0 | .90 | .90 |
| For each 0.5 percent or fraction thereof over 12.0 percent deduct an additional \$.05. | | |
| Example: The total discount for 13.5 percent heat damage would be \$1.05. | | |

1127 Soybean Additional CCC Discounts (Continued)

D Total Damage

The following table provides the soybean additional CCC discounts for total damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|----------------------------------|----------------------------------|
| | Discount per Bushel | Discount per Bushel |
| Total Damage Percent: | | |
| 8.1 - 8.5 | \$.20 | \$.20 |
| 8.6 - 9.0 | .22 | .22 |
| 9.1 - 9.5 | .24 | .24 |
| 9.6 - 10.0 | .26 | .26 |
| For each 0.5 percent or fraction thereof over 10.0 percent, deduct an additional \$.02. | | |
| Example: The total discount for 12.5 percent total damage would be \$.36. | | |

E Moisture

The following table provides the soybean additional CCC discounts for moisture.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|----------------------------------|----------------------------------|
| | Discount per Bushel | Discount per Bushel |
| Moisture Percent: | | |
| 14.1 - 14.5 | \$.15 | \$.15 |
| 14.6 - 15.0 | .20 | .20 |
| 15.1 - 15.5 | .25 | .25 |
| 15.6 - 16.0 | .30 | .30 |
| 16.1 - 16.5 | .35 | .35 |
| 16.6 - 17.0 | .40 | .40 |
| 17.1 - 17.5 | .45 | .45 |
| 17.6 - 18.0 | .50 | .50 |
| 18.1 - 18.5 | .55 | .55 |
| 18.6 - 19.0 | .60 | .60 |
| 19.1 - 19.5 | .65 | .65 |
| 19.6 - 20.0 | .70 | .70 |
| For each 0.5 percent or fraction thereof over 20.0 percent, deduct an additional \$.05. | | |
| Example: The total discount for 22.5 percent moisture would be \$.95. | | |

1127 Soybean Additional CCC Discounts (Continued)**F Splits**

The following table provides the soybean additional CCC discounts for splits.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Bushel | Discount per Bushel |
| Splits Percent: | | |
| 40.1 - 45.0 | \$.05 | \$.05 |
| 45.1 - 50.0 | .06 | .06 |
| 50.1 - 55.0 | .07 | .07 |
| 55.1 - 60.0 | .08 | .08 |
| 60.1 - 65.0 | .09 | .09 |
| 65.1 - 70.0 | .10 | .10 |
| 70.1 - 75.0 | .11 | .11 |
| 75.1 - 80.0 | .12 | .12 |
| 80.1 - 85.0 | .13 | .13 |
| 85.1 - 90.0 | .14 | .14 |
| 90.1 - 95.0 | .15 | .15 |
| 95.1 - 100.0 | .16 | .16 |

G Other Factors

The following table provides the soybean additional CCC discounts for other factors.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Bushel | Discount per Bushel |
| COFO | \$.20 | \$.20 |
| Heating | .10 | .10 |
| Infested | .10 | .10 |
| Musty | .10 | .10 |
| Sour | .10 | .10 |

H Discount for Contaminated Soybeans

Soybeans found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

1128-1199 (Reserved)

Section 2 Premiums, Discounts, and Additional Discounts for Sunflower Seed, Oil Type

1226 Crop Year Specific Premiums and Discounts

A Sunflower Seed, Oil Type, Premiums and Discounts

The following table provides the premiums and discounts per cwt. for sunflower seed, oil type.

| Quality Factor Level | *--2008 | | 2009 | | 2010--* | |
|-----------------------|---------|----------|---------|----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Oil Content Percent: | | | | | | |
| 41.0 or higher | \$.10 | | \$.10 | | \$.10 | |
| 40.9 - 40.0 | | | | | | |
| 39.9 - 39.0 | | \$.22 | | \$.22 | | \$.22 |
| 38.9 - 38.0 | | .44 | | .44 | | .44 |
| 37.9 - 37.0 | | .82 | | .82 | | .82 |
| 36.9 - 36.0 | | 1.20 | | 1.20 | | 1.20 |
| 35.9 - 35.0 | | 1.58 | | 1.58 | | 1.58 |
| Moisture Percent: | | | | | | |
| 8.1 - 9.0 | | \$.22 | | \$.22 | | \$.22 |
| 9.1 - 10.0 | | .44 | | .44 | | .44 |
| Heat Damage Percent: | | | | | | |
| 0.6 - 1.0 | | \$.33 | | \$.33 | | \$.33 |
| Total Damage Percent: | | | | | | |
| 5.1 - 6.0 | | \$.22 | | \$.22 | | \$.22 |
| 6.1 - 7.0 | | .44 | | .44 | | .44 |
| 7.1 - 8.0 | | .66 | | .66 | | .66 |
| 8.1 - 9.0 | | .88 | | .88 | | .88 |
| 9.1 - 10.0 | | 1.10 | | 1.10 | | 1.10 |

1227 Sunflower Seed, Oil Type, Additional CCC Discounts

A Grade

The following table provides the sunflower seed, oil type, additional CCC discounts for grade.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|--|--|
| | Discount per Cwt. | Discount per Cwt. |
| *--Grade Discount for 2007 and--* later crop years: | | |
| U.S. Sample Grade | *--\$.50 for 2009 crop \$.50 for 2008 crop \$.50 for 2007 crop | \$.50 for 2010 crop \$.50 for 2009 crop \$.50 for 2008 crop--* |

B Test Weight

The following table provides the sunflower seed, oil type, additional CCC discounts for test weight.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Test Weight (Pounds): | | |
| 24.9 - 24.0 | \$.20 | \$.20 |
| 23.9 - 23.0 | .40 | .40 |
| 22.9 - 22.0 | .60 | .60 |
| 21.9 - 21.0 | .80 | .80 |
| 20.9 - 20.0 | 1.00 | 1.00 |
| 19.9 - 19.0 | 1.20 | 1.20 |
| 18.9 - 18.0 | 1.40 | 1.40 |
| For each pound or fraction thereof under 18.0 pounds per cwt., deduct an additional \$.20. | | |
| Example: The total discount for 16.5 pound test weight would be \$1.80. | | |

1227 Sunflower Seed, Oil Type, Additional CCC Discounts (Continued)

C Oil Content

The following table provides the sunflower seed, oil type, additional CCC discounts for oil content.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Oil Content Percent: | | |
| 34.9 - 34.0 | \$2.08 | \$2.08 |
| 33.9 - 33.0 | 2.58 | 2.58 |
| 32.9 - 32.0 | 3.08 | 3.08 |
| 31.9 - 31.0 | 3.58 | 3.58 |
| 30.9 - 30.0 | 4.08 | 4.08 |
| For each 1 percent or fraction thereof under 30.0 percent, deduct an additional \$.50. | | |
| Example: The total discount for 28.0 percent oil content would be \$5.08. | | |

D Moisture

The following table provides the sunflower seed, oil type, additional CCC discounts for moisture.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Moisture Percent: | | |
| 10.1 - 11.0 | \$.77 | \$.77 |
| 11.1 - 12.0 | 1.10 | 1.10 |
| 12.1 - 13.0 | 1.54 | 1.54 |
| 13.1 - 14.0 | 1.98 | 1.98 |
| 14.1 - 15.0 | 2.42 | 2.42 |
| For each 1 percent or fraction thereof over 15.0 percent, deduct an additional \$.44. | | |
| Example: The total discount for 16.5 percent moisture would be \$3.30. | | |

1227 Sunflower Seed, Oil Type, Additional CCC Discounts (Continued)

E Heat Damage

The following table provides the sunflower seed, oil type, additional CCC discounts for heat damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Heat Damage Percent: | | |
| 1.1 - 1.5 | \$.53 | \$.53 |
| 1.6 - 2.0 | .73 | .73 |
| 2.1 - 2.5 | .93 | .93 |
| 2.6 - 3.0 | 1.13 | 1.13 |
| 3.1 - 3.5 | 1.33 | 1.33 |
| 3.6 - 4.0 | 1.53 | 1.53 |
| 4.1 - 4.5 | 1.73 | 1.73 |
| 4.6 - 5.0 | 1.93 | 1.93 |
| For each 0.5 percent or fraction thereof over 5.0 percent, deduct an additional \$.20. | | |
| Example: The total discount for 6.5 percent heat damage would be \$2.53. | | |

F Total Damage

The following table provides the sunflower seed, oil type, additional CCC discounts for total damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Total Damage Percent: | | |
| 10.1 - 11.0 | \$1.54 | \$1.54 |
| 11.1 - 12.0 | 1.98 | 1.98 |
| 12.1 - 13.0 | 2.42 | 2.42 |
| 13.1 - 14.0 | 2.86 | 2.86 |
| 14.1 - 15.0 | 3.30 | 3.30 |
| 15.1 - 16.0 | 3.74 | 3.74 |
| 16.1 - 17.0 | 4.18 | 4.18 |
| 17.1 - 18.0 | 4.62 | 4.62 |
| 18.1 - 19.0 | 5.06 | 5.06 |
| 19.1 - 20.0 | 5.50 | 5.50 |
| For each 1 percent or fraction thereof over 20.0 percent, deduct an additional \$.44. | | |
| Example: The total discount for 21.5 percent total damage would be \$6.38. | | |

1227 Sunflower Seed, Oil Type, Additional CCC Discounts (Continued)

G Other Factors

The following table provides the sunflower seed, oil type, additional CCC discounts for other factors.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|---|---|
| | Discount per Cwt. | Discount per Cwt. |
| COFO | \$.70 | \$.70 |
| Distinctly low quality | \$.70 | \$.70 |
| Dockage | \$.10 for each 1 percent or fraction over 5.0 | \$.10 for each 1 percent or fraction over 5.0 |
| Heating | \$.50 | \$.50 |
| Infested | \$.50 | \$.50 |
| Musty | \$.50 | \$.50 |
| Sour | \$.50 | \$.50 |

H Discount for Contaminated Sunflower Seed, Oil Type

Sunflower seed, oil type, found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

1228-1299 (Reserved)

Section 2 Discounts and Additional Discounts for Sunflower Seed, Other Type

1326 Crop Year Specific Discounts

A Sunflower Seed, Other Type, Discounts

The following table provides the discounts per cwt. for sunflower seed, other type.

| Quality Factor Level | Discount (Dollars per Cwt.) | | |
|------------------------|-----------------------------|-------|---------|
| | *--2008 | 2009 | 2010--* |
| Test Weight (Pounds): | | | |
| 22.9 - 20.0 | \$.50 | \$.50 | \$.50 |
| Insect Damage Percent: | | | |
| 3.1 - 3.5 | \$.25 | \$.25 | \$.25 |
| 3.6 - 4.0 | .50 | .50 | .50 |
| 4.1 - 4.5 | .75 | .75 | .75 |
| 4.6 - 5.0 | 1.00 | 1.00 | 1.00 |

1327 Sunflower Seed, Other Type, Additional CCC Discounts

A Insect Damage

The following table provides the sunflower seed, other type, additional CCC discounts for insect damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Insect Damage Percent: | | |
| 5.1 - 6.0 | \$1.50 | \$1.50 |
| 6.1 - 7.0 | 2.00 | 2.00 |
| 7.1 - 8.0 | 2.50 | 2.50 |
| 8.1 - 9.0 | 3.00 | 3.00 |
| 9.1 - 10.0 | 3.50 | 3.50 |
| For each 1 percent or fraction thereof over 10.0 percent, deduct an additional \$.50. | | |
| Example: The total discount for 11.0 percent insect damage would be \$4.00. | | |

1327 Sunflower Seed, Other Type, Additional CCC Discounts (Continued)

B Moisture

The following table provides the sunflower seed, other type, additional CCC discounts for moisture.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Moisture Percent: | | |
| 10.1 - 11.0 | \$.22 | \$.22 |
| 11.1 - 12.0 | .66 | .66 |
| 12.1 - 13.0 | 1.10 | 1.10 |
| 13.1 - 14.0 | 1.54 | 1.54 |
| 14.1 - 15.0 | 1.98 | 1.98 |
| For each 1 percent or fraction thereof over 15.0 percent, deduct an additional \$.44. | | |
| Example: The total discount for 16.5 percent moisture would be \$2.86. | | |

1327 Sunflower Seed, Other Type, Additional CCC Discounts (Continued)

C Heat Damage

The following table provides the sunflower seed, other type, additional CCC discounts for heat damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Heat Damage Percent: | | |
| 1.1 - 1.5 | \$.20 | \$.20 |
| 1.6 - 2.0 | .40 | .40 |
| 2.1 - 2.5 | .60 | .60 |
| 2.6 - 3.0 | .80 | .80 |
| For each 0.5 percent or fraction thereof over 3.0 percent, deduct an additional \$.20. | | |
| Example: The total discount for 4.0 percent heat damage would be \$1.20. | | |

1327 Sunflower Seed, Other Type, Additional CCC Discounts (Continued)

D Sclerotinia Bodies

The following table provides the sunflower seed, other type, additional CCC discounts for sclerotinia bodies.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Sclerotinia Bodies Percent: | | |
| 1.1 - 2.0 | \$1.00 | \$1.00 |
| 2.1 - 3.0 | 2.00 | 2.00 |
| 3.1 - 4.0 | 3.00 | 3.00 |
| 4.1 - 5.0 | 4.00 | 4.00 |
| For each 1 percent or fraction thereof over 5.0 percent, deduct an additional \$1.00. | | |
| Example: The total discount for 6.5 percent sclerotinia bodies would be \$6.00. | | |

1327 Sunflower Seed, Other Type, Additional CCC Discounts (Continued)

E Test Weight

The following table provides the sunflower seed, other type, additional CCC discounts for test weight.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Test Weight (Pounds): | | |
| 19.9 - 19.5 | \$.90 | \$.90 |
| 19.4 - 19.0 | 1.30 | 1.30 |
| 18.9 - 18.5 | 1.70 | 1.70 |
| 18.4 - 18.0 | 2.10 | 2.10 |
| 17.9 - 17.5 | 2.50 | 2.50 |
| 17.4 - 17.0 | 2.90 | 2.90 |
| 16.9 - 16.5 | 3.30 | 3.30 |
| 16.4 - 16.0 | 3.70 | 3.70 |
| 15.9 - 15.5 | 4.10 | 4.10 |
| 15.4 - 15.0 | 4.50 | 4.50 |
| For each half pound or fraction thereof under 15.0 pounds, deduct an additional \$.40. | | |
| Example: The total discount for 14.0 pound test weight would be \$5.30. | | |

F Dark Roasted

The following table provides the sunflower seed, other type, additional CCC discounts for dark roasted.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|-----------------------------|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Dark Roasted (percent) | | |
| 1.0 - 1.9 | \$1.00 | \$1.00 |
| 2.0 - 2.9 | 2.00 | 2.00 |
| 3.0 - 3.9 | 3.00 | 3.00 |
| 4.0 - 4.9 | 4.00 | 4.00 |
| 5.0 and higher | 5.00 | 5.00 |

1327 Sunflower Seed, Other Type, Additional CCC Discounts (Continued)**G Other Factors**

The following table provides the sunflower seed, other type, additional CCC discounts for other factors.

| Grade or Factor Description | *--Effective July 1, 2008 | Effective July 1, 2009--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| COFO | \$.70 | \$.70 |
| Heating | .50 | .50 |
| Infested | .50 | .50 |
| Musty | .50 | .50 |
| Sour | .50 | .50 |

H Discount for Contaminated Sunflower Seed, Other Type

Sunflower seed, other type, found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

1328-1399 (Reserved)

Section 2 Premiums, Discounts, and Additional Discounts for Wheat

1426 Crop Year Specific Premiums and Discounts

A Wheat Premiums and Discounts

The following table provides the premiums and discounts per bushel for wheat.

| Grade or Factor Description | *--2008 | | 2009 | | 2010--* | |
|---|---|---------------------------------|---|---------------------------------|---|---------------------------------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Durum Subclass-All Classes | | | | | | |
| • U.S. No. 2 or better Amber Durum | \$.10 | | *--\$.20 | | \$.20 | |
| • U.S. No. 2 or better Hard Amber Durum | .30 | | .60--* | | .60 | |
| Protein Percent: | | | | | | |
| • Premiums apply only to the subclass of Hard Amber Durum grading U.S. No. 1. • Discounts apply to all grades and subclasses of Durum | U.S. No. 1 Hard Amber Durum only | all grades and subclasses | U.S. No. 1 Hard Amber Durum only | all grades and subclasses | U.S. No. 1 Hard Amber Durum only | all grades and subclasses |
| 13.2 - 13.3 | \$.01 | | \$.01 | | \$.01 | |
| 13.4 - 13.5 | .02 | | .02 | | .02 | |
| 13.6 - 13.7 | .03 | | .03 | | .03 | |
| 13.8 - 13.9 | .04 | | .04 | | .04 | |
| 14.0 and above | .05 | | .05 | | .05 | |
| 10.9 and below | | \$.55 | | *--\$.75 | | \$.75 |
| 11.0 - 11.1 | | .50 | | .60 | | .60 |
| 11.2 - 11.3 | | .45 | | .50--* | | .50 |
| 11.4 - 11.5 | | .40 | | .40 | | .40 |
| 11.6 - 11.7 | | .35 | | .35 | | .35 |
| 11.8 - 11.9 | | .30 | | .30 | | .30 |
| 12.0 - 12.1 | | .25 | | .25 | | .25 |
| 12.2 - 12.3 | | .20 | | .20 | | .20 |
| 12.4 - 12.5 | | .15 | | .15 | | .15 |
| 12.6 - 12.7 | | .10 | | .10 | | .10 |
| 12.8 - 12.9 | | .05 | | .05 | | .05 |
| 13.0 - 13.1 | | .00 | | .00 | | .00 |
| • Soft White Wheat • Premiums apply only to wheat grading U.S. No. 2 or better | | | | | | |
| 10.0 and below | \$.02 | | \$.02 | | \$.00 | |

1426 Crop Year Specific Premiums and Discounts (Continued)

A Wheat Premiums and Discounts (Continued)

| Grade or Factor Description | *--2008 | | 2009 | | 2010--* | |
|---|---------|----------|---------|----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Protein Percent: | | | | | | |
| • Hard Red Winter | | | | | | |
| • Hard White Wheat | | | | | | |
| • Premiums apply only to wheat grading U.S. No. 2 or better | | | | | | |
| • Discounts apply to all grades | | | | | | |
| 8.9 and below | | \$.11 | | \$.11 | | \$.11 |
| 9.0 - 9.1 | | .10 | | .10 | | .10 |
| 9.2 - 9.3 | | .09 | | .09 | | .09 |
| 9.4 - 9.5 | | .08 | | .08 | | .08 |
| 9.6 - 9.7 | | .07 | | .07 | | .07 |
| 9.8 - 9.9 | | .06 | | .06 | | .06 |
| 10.0 - 10.1 | | .05 | | .05 | | .05 |
| 10.2 - 10.3 | | .04 | | .04 | | .04 |
| 10.4 - 10.5 | | .03 | | .03 | | .03 |
| 10.6 - 10.7 | | .02 | | .02 | | .02 |
| 10.8 - 10.9 | | .01 | | .01 | | .01 |
| 11.0 - 11.1 | \$.00 | .00 | \$.00 | .00 | \$.00 | .00 |
| 11.2 - 11.3 | .01 | | .01 | | .01 | |
| 11.4 - 11.5 | .02 | | .02 | | .02 | |
| 11.6 - 11.7 | .03 | | .03 | | .03 | |
| 11.8 - 11.9 | .04 | | .04 | | .04 | |
| 12.0 - 12.1 | .05 | | .05 | | .05 | |
| 12.2 - 12.3 | .07 | | .07 | | .07 | |
| 12.4 - 12.5 | .09 | | .09 | | .09 | |
| 12.6 - 12.7 | .11 | | .11 | | .11 | |
| 12.8 - 12.9 | .13 | | .13 | | .13 | |
| 13.0 and over | .15 | | .15 | | .15 | |

1426 Crop Year Specific Premiums and Discounts (Continued)

A Wheat Premiums and Discounts (Continued)

| Grade or Factor Description | *--2008 | | 2009 | | 2010--* | |
|---|---------|----------|---------|----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Protein Percent: | | | | | | |
| • Hard Red Spring | | | | | | |
| • Premiums apply only to wheat grading U.S. No. 2 or better | | | | | | |
| • Discounts apply to all grades | | | | | | |
| 8.9 and below | | \$.80 | | \$.80 | | \$.80 |
| 9.0 - 9.1 | | .75 | | .75 | | .75 |
| 9.2 - 9.3 | | .70 | | .70 | | .70 |
| 9.4 - 9.5 | | .65 | | .65 | | .65 |
| 9.6 - 9.7 | | .60 | | .60 | | .60 |
| 9.8 - 9.9 | | .55 | | .55 | | .55 |
| 10.0 - 10.1 | | .50 | | .50 | | .50 |
| 10.2 - 10.3 | | .45 | | .45 | | .45 |
| 10.4 - 10.5 | | .40 | | .40 | | .40 |
| 10.6 - 10.7 | | .35 | | .35 | | .35 |
| 10.8 - 10.9 | | .30 | | .30 | | .30 |
| 11.0 - 11.1 | | .25 | | .25 | | .25 |
| 11.2 - 11.3 | | .20 | | .20 | | .20 |
| 11.4 - 11.5 | | .15 | | .15 | | .15 |
| 11.6 - 11.7 | | .10 | | .10 | | .10 |
| 11.8 - 11.9 | | .05 | | .05 | | .05 |
| 12.0 - 12.1 | | .00 | | .00 | | .00 |
| 12.2 - 12.3 | \$.01 | | \$.01 | | \$.01 | |
| 12.4 - 12.5 | .02 | | .02 | | .02 | |
| 12.6 - 12.7 | .03 | | .03 | | .03 | |
| 12.8 - 12.9 | .04 | | .04 | | .04 | |
| 13.0 - 13.1 | .05 | | .05 | | .05 | |
| 13.2 - 13.3 | .06 | | .06 | | .06 | |
| 13.4 - 13.5 | .07 | | .07 | | .07 | |
| 13.6 - 13.7 | .08 | | .08 | | .08 | |
| 13.8 - 13.9 | .09 | | .09 | | .09 | |

1426 Crop Year Specific Premiums and Discounts (Continued)

A Wheat Premiums and Discounts (Continued)

| Grade or Factor Description | *--2008 | | 2009 | | 2010--* | |
|---|---------|----------|---------|----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Protein Percent: | | | | | | |
| • Hard Red Spring | | | | | | |
| • Premiums apply only to wheat grading U.S. No. 2 or better | | | | | | |
| • Discounts apply to all grades | | | | | | |
| 14.0 - 14.1 | \$.10 | | \$.10 | | \$.10 | |
| 14.2 - 14.3 | .13 | | .13 | | .13 | |
| 14.4 - 14.5 | .16 | | .16 | | .16 | |
| 14.6 - 14.7 | .19 | | .19 | | .19 | |
| 14.8 - 14.9 | .22 | | .22 | | .22 | |
| 15.0 - 15.1 | .25 | | .25 | | .25 | |
| 15.2 - 15.3 | .28 | | .28 | | .28 | |
| 15.4 - 15.5 | .31 | | .31 | | .31 | |
| 15.6 - 15.7 | .34 | | .34 | | .34 | |
| 15.8 - 15.9 | .37 | | .37 | | .37 | |
| 16.0 and over | .40 | | .40 | | .40 | |

1426 Crop Year Specific Premiums and Discounts (Continued)

A Wheat Premiums and Discounts (Continued)

| Grade or Factor Description | *--2008 | | 2009 | | 2010--* | |
|---|---------|----------|---------|----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Hard Red Winter Soft White Wheat Hard White Wheat | | | | | | |
| Grade U.S. No. 3 | | \$.10 | | \$.10 | | \$.10 |
| Grade U.S. No. 4 | | .15 | | .15 | | .15 |
| Grade U.S. No. 5 | | .30 | | .30 | | .30 |
| Hard Red Spring | | | | | | |
| Grade U.S. No. 3 | | \$.20 | | \$.25 | | \$.25 |
| Grade U.S. No. 4 | | .40 | | *--.50 | | .50 |
| Grade U.S. No. 5 | | .65 | | .75--* | | .75 |

1426 Crop Year Specific Premiums and Discounts (Continued)

A Wheat Premiums and Discounts (Continued)

| Grade or Factor Description | *--2008 | | 2009 | | 2010--* | |
|---|---------|----------|---------|----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| Durum Subclass-All Classes | | | | | | |
| 3 Grade U.S. No. | | \$.30 | | *--\$.50 | | \$.50 |
| 4 Grade U.S. No. | | .60 | | .75 | | .75 |
| 5 Grade U.S. No. | | .90 | | .100--* | | 1.00 |
| Class Discounts for Mixed Wheat: | | .25 | | .25 | | .25 |
| Note: Unclassed wheat and the class Red Durum are ineligible for loan. | | | | | | |
| For each 1.0 percent of mixtures of classes other than contrasting classes over 3.0 percent | | .05 | | .05 | | .05 |
| For each 1.0 percent of mixtures of contrasting classes over 10.0 percent | | .05 | | .05 | | .05 |
| Special Grade Discount: | | | | | | |
| Smut: | | | | | | |
| Light Smutty | | \$.10 | | \$.10 | | \$.10 |
| Smutty | | .20 | | .20 | | .20 |
| Garlic: | | | | | | |
| For each garlic bulblet | | .01 | | .01 | | .01 |

1426 Crop Year Specific Premiums and Discounts (Continued)

A Wheat Premiums and Discounts (Continued)

| Grade or Factor Description | *--2008 | | 2009 | | 2010--* | |
|---|---------|----------|---------|-----------|---------|----------|
| | Premium | Discount | Premium | Discount | Premium | Discount |
| SRW | | | | | | |
| 3 Grade U.S. No. | | \$.30 | | \$.30 | | \$.30 |
| 4 Grade U.S. No. | | .60 | | .60 | | .60 |
| 5 Grade U.S. No. | | .90 | | .90 | | .90 |
| Class Discounts for Mixed Wheat: | | .25 | | .25 | | .25 |
| Note: Unclassed wheat and the class Red Durum are ineligible for loan. | | | | | | |
| For each 1.0 percent of mixtures of classes other than contrasting classes over 3.0 percent | | .05 | | .05 | | .05 |
| For each 1.0 percent of mixtures of contrasting classes over 10.0 percent | | .05 | | .05 | | .05 |
| Special Grade Discount: | | | | | | |
| Smut: | | | | | | |
| Light Smutty | | \$.10 | | \$.10 | | \$.10 |
| Smutty | | .20 | | .20 | | .20 |
| Garlic: | | | | | | |
| For each garlic bulblet | | .01 | | *--.02--* | | .02 |

1426 Crop Year Specific Premiums and Discounts (Continued)

A Wheat Premiums and Discounts (Continued)

| Grade or Factor Description | *--2009 | 2010--* |
|--|---------------------|---------------------|
| | Discount Per Bushel | Discount Per Bushel |
| Soft White Wheat | | |
| Dockage Discounts | | |
| 0.21 - 0.60 | *--\$.04 | \$.04 |
| 0.61 - 0.70 | .05 | .05 |
| 0.71 - 0.80 | .06 | .06 |
| 0.81 - 0.90 | .06 | .06 |
| 0.91 - 1.00 | .07 | .07 |
| 1.01 - 1.10 | .08 | .08 |
| 1.11 - 1.20 | .09 | .09 |
| 1.21 - 1.30 | .10 | .10 |
| 1.31 - 1.40 | .11 | .11 |
| 1.41 - 1.50 | .12--* | .12 |
| For each tenth of a percent or fraction thereof over 1.50 percent, deduct an additional \$.02 . | | |
| Example: The total discount for 1.64 percent dockage would be \$.16. | | |
| *--Soft Red Winter Wheat | | |
| Dockage Discounts | | |
| 1.01 – 1.10 | \$.00 | \$.02 |
| 1.11 – 1.20 | .00 | .04 |
| 1.21 – 1.30 | .00 | .06 |
| 1.31 – 1.40 | .00 | .08 |
| 1.41 – 1.50 | .00 | .10 |
| For each tenth of a percent of fraction thereof over 1.50 percent, deduct an additional \$.02. | | |
| Example: The total discount for 1.64 percent dockage would be \$.14. --* | | |
| Smut | | |
| Light Smutty | \$.10 | \$.10 |
| Smutty | .20 | .20 |
| Garlic each bulblet | *--.02--* | .02 |

1427 Wheat Additional CCC Discounts

A Grade

The following table provides the wheat additional CCC discounts for grade.

| Grade or Factor Description | *--Effective July 1, 2008 | Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|------------------------|---------------------------|
| | Discount Per Bushel | Discount per Bushel | Discount per Bushel |
| U.S. sample grade discount for 2007, 2008, and 2009 crop, by class. | | | |
| Hard Red Winter, Soft White Wheat, Hard White Wheat | \$.70 | \$.70 | \$.70 |
| Hard Red Spring | \$.70 | \$.70 | \$1.00 |
| SRW | \$1.00 | \$1.00 | \$1.00 |
| Durum | \$1.00 | *--\$1.25--* | \$1.25 |

1427 Wheat Additional CCC Discounts (Continued)

B Heat-Damaged Kernels

The following table provides the wheat additional CCC discounts for heat-damaged kernels.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Heat-Damaged Kernels Percent for All Classes: | | |
| 3.1 - 3.2 | \$.02 | \$.02 |
| 3.3 - 3.4 | .04 | .04 |
| 3.5 - 3.6 | .06 | .06 |
| 3.7 - 3.8 | .08 | .08 |
| 3.9 - 4.0 | .10 | .10 |
| 4.1 - 4.2 | .12 | .12 |
| 4.3 - 4.4 | .14 | .14 |
| 4.5 - 4.6 | .16 | .16 |
| 4.7 - 4.8 | .18 | .18 |
| 4.9 - 5.0 | .20 | .20 |
| 5.1 - 5.2 | .22 | .22 |
| 5.3 - 5.4 | .24 | .24 |
| 5.5 - 5.6 | .26 | .26 |
| 5.7 - 5.8 | .28 | .28 |
| 5.9 - 6.0 | .30 | .30 |
| For each 0.2 percent or fraction thereof over 6.0 percent, deduct an additional \$.02. | | |
| Example: The total discount for 18.0 percent heat-damaged kernels would be \$1.50. | | |

1427 Wheat Additional CCC Discounts (Continued)

C Damaged Kernels (Total)

The following table provides the wheat additional CCC discounts for damaged kernels (total).

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Damaged Kernels (Total) Percent: | | |
| 15.1 - 16.0 | \$.03 | \$.03 |
| 16.1 - 17.0 | .06 | .06 |
| 17.1 - 18.0 | .09 | .09 |
| 18.1 - 19.0 | .12 | .12 |
| 19.1 - 20.0 | .15 | .15 |
| 20.1 - 21.0 | .18 | .18 |
| 21.1 - 22.0 | .21 | .21 |
| 22.1 - 23.0 | .24 | .24 |
| 23.1 - 24.0 | .27 | .27 |
| 24.1 - 25.0 | .30 | .30 |
| 25.1 - 26.0 | .33 | .33 |
| 26.1 - 27.0 | .36 | .36 |
| 27.1 - 28.0 | .39 | .39 |
| 28.1 - 29.0 | .42 | .42 |
| 29.1 - 30.0 | .45 | .45 |
| For each 1 percent or fraction thereof over 30.0 percent, deduct an additional \$.03. | | |
| Example: The total discount for 30.3 percent damaged kernels (total) would be \$.48. | | |

1427 Wheat Additional CCC Discounts (Continued)

D All Moisture Except SRW

The following table provides the additional CCC discounts for moisture for wheat except SRW.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Moisture Percent - All classes except SRW: | | |
| 13.6 - 13.7 | \$.01 | \$.01 |
| 13.8 - 14.0 | .02 | .02 |
| 14.1 - 14.2 | .04 | .04 |
| 14.3 - 14.5 | .06 | .06 |
| 14.6 - 14.7 | .08 | .08 |
| 14.8 - 15.0 | .10 | .10 |
| 15.1 - 15.2 | .13 | .13 |
| 15.3 - 15.5 | .16 | .16 |
| 15.6 - 15.7 | .19 | .19 |
| 15.8 - 16.0 | .22 | .22 |
| 16.1 - 16.2 | .25 | .25 |
| 16.3 - 16.5 | .28 | .28 |
| 16.6 - 16.7 | .31 | .31 |
| 16.8 - 17.0 | .34 | .34 |
| 17.1 - 17.2 | .37 | .37 |
| 17.3 - 17.5 | .40 | .40 |
| 17.6 - 17.7 | .43 | .43 |
| 17.8 - 18.0 | .46 | .46 |
| 18.1 - 18.2 | .49 | .49 |
| 18.3 - 18.5 | .52 | .52 |
| 18.6 - 18.7 | .55 | .55 |
| 18.8 - 19.0 | .58 | .58 |
| 19.1 - 19.2 | .61 | .61 |
| 19.3 - 19.5 | .64 | .64 |
| 19.6 - 19.7 | .67 | .67 |
| 19.8 - 20.0 | .70 | .70 |
| 20.1 - 20.2 | .73 | .73 |
| 20.3 - 20.5 | .76 | .76 |
| 20.6 - 20.7 | .79 | .79 |
| 20.8 - 21.0 | .82 | .82 |
| 21.1 - 21.2 | .85 | .85 |

1427 Wheat Additional CCC Discounts (Continued)

D All Moisture Except SRW (Continued)

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Moisture Percent - All classes except SRW: | | |
| 21.3 - 21.5 | \$.88 | \$.88 |
| 21.6 - 21.7 | .91 | .91 |
| 21.8 - 22.0 | .94 | .94 |
| 22.1 - 22.2 | .97 | .97 |
| 22.3 - 22.5 | 1.00 | 1.00 |
| 22.6 - 22.7 | 1.03 | 1.03 |
| 22.8 - 23.0 | 1.06 | 1.06 |
| 23.1 - 23.2 | 1.09 | 1.09 |
| 23.3 - 23.5 | 1.12 | 1.12 |
| 23.6 - 23.7 | 1.15 | 1.15 |
| 23.8 - 24.0 | 1.18 | 1.18 |
| 24.1 - 24.2 | 1.21 | 1.21 |
| 24.3 - 24.5 | 1.24 | 1.24 |
| 24.6 - 24.7 | 1.27 | 1.27 |
| 24.8 - 25.0 | 1.30 | 1.30 |
| For each 0.2 percent or fraction thereof over 25.0 percent, deduct an additional \$.03. | | |
| Example: The total discount for all classes of wheat, except SRW, for 27.5 percent moisture would be \$1.69. | | |

1427 Wheat Additional CCC Discounts (Continued)

E Moisture

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Moisture Percent for SRW: | | |
| 13.6 - 14.0 | \$.03 | \$.03 |
| 14.1 - 14.5 | .06 | .06 |
| 14.6 - 15.0 | .09 | .09 |
| 15.1 - 15.5 | .12 | .12 |
| 15.6 - 16.0 | .15 | .15 |
| 16.1 - 16.5 | .19 | .19 |
| 16.6 - 17.0 | .23 | .23 |
| 17.1 - 17.5 | .27 | .27 |
| 17.6 - 18.0 | .31 | .31 |
| 18.1 - 18.5 | .35 | .35 |
| 18.6 - 19.0 | .39 | .39 |
| 19.1 - 19.5 | .43 | .43 |
| 19.6 - 20.0 | .47 | .47 |
| 20.1 - 20.5 | .51 | .51 |
| 20.6 - 21.0 | .55 | .55 |
| For each 0.5 percent or fraction thereof over 21.0 percent, deduct an additional \$.04. | | |
| Example: The total discount for 23.5 percent moisture would be \$.75. | | |

1427 Wheat Additional CCC Discounts (Continued)

F Test Weight

The following table provides the wheat additional CCC discounts for test weight.

| Grade or Factor Description | *--Effective July 1, 2009 | | Effective July 1, 2010--* | |
|---|--------------------------------|----------------------------------|--------------------------------|----------------------------------|
| | Discount per Bushel | | Discount per Bushel | |
| Test Weight (Pounds): | Hard Red Spring and White Club | All Other Classes and Subclasses | Hard Red Spring and White Club | All Other Classes and Subclasses |
| 50.9 - 50.0 | | \$.06 | | \$.06 |
| 49.9 - 49.0 | \$.02 | .12 | \$.02 | .12 |
| 48.9 - 48.0 | .04 | .18 | .04 | .18 |
| 47.9 - 47.0 | .06 | .24 | .06 | .24 |
| 46.9 - 46.0 | .08 | .30 | .08 | .30 |
| 45.9 - 45.0 | .10 | .36 | .10 | .36 |
| 44.9 - 44.0 | .13 | .42 | .13 | .42 |
| 43.9 - 43.0 | .16 | .48 | .16 | .48 |
| 42.9 - 42.0 | .19 | .54 | .19 | .54 |
| 41.9 - 41.0 | .22 | .60 | .22 | .60 |
| 40.9 - 40.0 | .25 | .66 | .25 | .66 |
| <p>For each whole pound or fraction thereof under 40.0 pounds per bushel deduct an additional \$.06.</p> <p>Example: The total discount for 38.7 pound test weight of Hard Red Spring and White Club would be \$.37.</p> | | | | |

1427 Wheat Additional CCC Discounts (Continued)

G Special Grades

The following table provides the wheat additional CCC discounts for special grades.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Bushel | Discount per Bushel |
| COFO | \$.50 | \$.50 |
| Heating | .25 | .25 |
| Infested | *-- .15 --* | .15 |
| Musty | .10 | .10 |
| Sour | .25 | .25 |

1427 Wheat Additional CCC Discounts (Continued)

H Insect-Damaged Kernels

The following table provides the insect damage kernel discount for wheat. See 8-LP, paragraph 1015 for insect damage kernels over 32.

| Wheat Insect Damage Kernels Discounts | Effective July 1, 2009 | Effective July 1, 2010--* |
|---|------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| 11 | \$.01 | \$.01 |
| 12 | .02 | .02 |
| 13 | .03 | .03 |
| 14 | .04 | .04 |
| 15 | .05 | .05 |
| 16 | .06 | .06 |
| 17 | .07 | .07 |
| 18 | .08 | .08 |
| 19 | .09 | .09 |
| 20 | .10 | .10 |
| 21 | .12 | .12 |
| 22 | .14 | .14 |
| 23 | .16 | .16 |
| 24 | .18 | .18 |
| 25 | .20 | .20 |
| 26 | .22 | .22 |
| 27 | .24 | .24 |
| 28 | .26 | .26 |
| 29 | .28 | .28 |
| 30 | .30 | .30 |
| 31 | .32 | .32 |
| <p>For each insect damage kernel over 31, add \$.01. Wheat with insect damage kernels of 32 or more will be graded as sample grade.</p> <p>Example: Discount for Durum with 36 insect damage kernels is \$1.37 (\$.37 for insect damage kernels plus \$1 for grading sample grade).</p> | | |

1427 Wheat Additional CCC Discounts (Continued)

I Other Factors

For other factors not included in this part, including but not limited to glass, unknown foreign substance, treated, and animal filth, contact PSD, according to 8-LP, subparagraph 1020 D.

J Discount for Contaminated Wheat

Wheat found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

Exception: For wheat delivered to CCC and the warehouse receipt indicates a vomitoxin level according to this table.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|-----------------------------|---------------------------|---------------------------|
| | Discount per Bushel | Discount per Bushel |
| Vomitoxin, PPM: | | |
| 2.0 PPM and below | \$.00 | \$.00 |
| 2.1 through 3.0 PPM | .75 | .75 |
| 3.1 through 4.0 PPM | 1.00 | 1.00 |
| 4.1 through 5.0 PPM | 1.25 | 1.25 |
| 5.1 and higher | <u>1/</u> | <u>1/</u> |

1/ Wheat delivered with more than 5 PPM shall have a settlement value of **zero**.

1427 Wheat Additional CCC Discounts (Continued)

K Falling Number Discount

The following table provides the falling number discount for wheat.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|-----------------------------------|-----------------------------------|
| | Discount Per Bushel | Discount Per Bushel |
| Falling Numbers, Hard Red Spring and Durum * * * | | |
| 299 - 250 | \$.25 | \$.25 |
| 249 - 200 | .50 | .50 |
| 199 - 150 | .75 | .75 |
| 149 and below | additional \$.01 for each 1 point | additional \$.01 for each 1 point |
| *--Falling Numbers, Soft White Wheat | | |
| 299 - 200 | .00 | 0.15 |
| 199 and below | .00 | 0.50--* |

L Durum Discount

The following table provides durum discount for HVAC.

| Grade or Factor Description | *--Effective July 1, 2009 | *--Effective July 1, 2010--* |
|-----------------------------|---|--|
| | Discount Per Bushel | Discount Per Bushel |
| Durum Discount for HVAC | | |
| 89 | *--\$.02 | \$.02 |
| 88 | .04 | .04 |
| 87 | .06 | .06 |
| 86 | .08 | .08 |
| 85 | .10 | .10 |
| 84 | .12 | .12 |
| 83 | .14 | .14 |
| 82 | .16 | .16 |
| 81 | .18 | .18 |
| 80 | .20 | .20 |
| 79 | .22 | .22 |
| 78 | .24 | .24 |
| 77 | .26 | .26 |
| 76 | .28 | .28 |
| 75 | .30 | .30 |
| 74 | .33 | .33 |
| 73 | .36 | .36 |
| 72 | .39 | .39 |
| 71 | .42 | .42 |
| 70 | .45 | .45 |
| 69 | .48 | .48 |
| 68 | .51 | .51 |
| 67 | .54 | .54 |
| 66 | .57 | .57 |
| 65 | .60 | .60 |
| 64 | .65 | .65 |
| 63 | .70 | .70 |
| 62 | .75 | .75 |
| 61 | .80 | .80 |
| 60 and below | additional \$.05 for each 1 point below 61--* | additional \$.05 for each 1 point below 61 |

1428-1499 (Reserved)

Section 2 Discounts and Additional Discounts for Crambe

1526 Crop Year Specific Discounts

A Crambe Discounts

The following table provides the discounts per cwt. for crambe.

| Quality Factor Level | Discount (Dollars per Cwt.) | |
|-----------------------------------|-----------------------------|---------|
| | *--2009 | 2010--* |
| Moisture Percent: | | |
| 8.1 - 10.0 | \$1.00 | \$1.00 |
| Heat Damage Percent: | | |
| 0.2 | \$1.00 | \$1.00 |
| Total Damage Percent: | | |
| 1.6 - 3.0 | \$1.00 | \$1.00 |
| Sclerotinia Bodies Percent: | | |
| 0.2 | \$1.00 | \$1.00 |
| Inconspicuous Admixtures Percent: | | |
| 0.2 | \$1.00 | \$1.00 |
| Conspicuous Admixtures Percent: | | |
| 0.4 - 0.5 | \$1.00 | \$1.00 |
| Class Purity Percent: | | |
| 99.5 - 99.7 | \$1.00 | \$1.00 |

1527 Crambe Additional CCC Discounts

A Heat Damage

The following table provides the crambe additional CCC discounts for heat damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Heat Damage Percent: | | |
| 0.3 - 0.5 | \$2.00 | \$2.00 |
| 0.6 - 1.0 | 3.00 | 3.00 |
| 1.1 - 1.5 | 4.00 | 4.00 |
| 1.6 - 5.0 | 5.00 | 5.00 |
| For each 5 percent or fraction thereof over 5.0 percent, deduct an additional \$1.00. | | |
| Example: The total discount for 16.0 percent heat damage would be \$8.00. | | |

B Sclerotinia Bodies

The following table provides the crambe additional CCC discounts for sclerotinia bodies.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Sclerotinia Bodies Percent: | | |
| 0.3 | \$2.00 | \$2.00 |
| 0.4 - 1.0 | 3.00 | 3.00 |
| 1.1 - 1.5 | 4.00 | 4.00 |
| 1.6 - 3.0 | 5.00 | 5.00 |
| For each 1.5 percent or fraction thereof over 3.0 percent, deduct an additional \$1.00. | | |
| Example: The total discount for 6.5 percent sclerotinia bodies would be \$8.00. | | |

1527 Crambe Additional CCC Discounts (Continued)

C Distinctly Green Seed

The following table provides the crambe additional CCC discounts for distinctly green seed.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Distinctly Green Seed Percent: | | |
| 1.6 - 3.5 | \$1.00 | \$1.00 |
| 3.6 - 5.0 | 2.00 | 2.00 |
| For each 1.5 percent or fraction thereof over 5.0 percent, deduct an additional \$1.00. | | |
| Example: The total discount for 7.5 percent distinctly green seed would be \$4.00. | | |

D Total Damage

The following table provides the crambe additional CCC discounts for total damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Total Damage Percent: | | |
| 3.1 - 5.0 | \$2.00 | \$2.00 |
| 5.1 - 10.5 | 3.00 | 3.00 |
| 10.6 - 15.0 | 4.00 | 4.00 |
| 15.1 - 20.0 | 5.00 | 5.00 |
| For each 5 percent or fraction thereof over 20.0 percent, deduct an additional \$1.00. | | |
| Example: The total discount for 27.0 percent total damage would be \$7.00. | | |

1527 Crambe Additional CCC Discounts (Continued)

E Conspicuous Admixture

The following table provides the crambe additional CCC discounts for conspicuous admixture.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Conspicuous Admixture Percent: | | |
| 0.6 - 0.7 | \$2.00 | \$2.00 |
| 0.8 - 1.0 | 3.00 | 3.00 |
| 1.1 - 1.5 | 4.00 | 4.00 |
| 1.6 - 3.0 | 5.00 | 5.00 |
| For each 1.5 percent or fraction thereof over 3.0 percent, deduct an additional \$1.00. | | |
| Example: The total discount for 5.0 percent conspicuous admixture would be \$7.00. | | |

F Other Weed Seeds

The following table provides the crambe additional CCC discounts for other weed seeds.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Other Weed Seeds Percent: | | |
| 0.6 - 0.7 | \$2.00 | \$2.00 |
| 0.8 - 1.0 | 3.00 | 3.00 |
| 1.1 - 1.5 | 4.00 | 4.00 |
| 1.6 - 3.0 | 5.00 | 5.00 |

1527 Crambe Additional CCC Discounts (Continued)**G Other Factors**

The following table provides the crambe additional CCC discounts for other factors.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| COFO | \$2.00 | \$2.00 |
| Heating | 1.00 | 1.00 |
| Infested | 1.00 | 1.00 |
| Musty | 1.00 | 1.00 |
| Sour | 1.00 | 1.00 |

H Discount for Contaminated Crambe

Crambe found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

I Animal Filth

Crambe found to contain animal filth over 3 parts per 500 grams shall receive a settlement value of zero.

1527 Crambe Additional CCC Discounts (Continued)

J Test Weight and Moisture

The following table provides the crambe additional CCC discounts for test weight and moisture.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|---|---------------------------|---------------------------|
| | Discount Per Cwt. | Discount Per Cwt. |
| Test Weight: | | |
| 24.9 to 24.0 | \$.25 | \$.25 |
| 23.9 to 23.0 | .50 | .50 |
| 22.9 to 22.0 | .75 | .75 |
| 21.9 to 21.0 | 1.00 | 1.00 |
| 20.9 to 20.0 | 1.25 | 1.25 |
| For each whole pound or fraction of a pound under 20.0 | .25 | .25 |
| Moisture Percent: | | |
| 10.1 to 10.9 | \$1.25 | \$1.25 |
| 11.0 to 11.9 | 1.50 | 1.50 |
| 12.0 to 12.9 | 1.75 | 1.75 |
| 13.0 to 13.9 | 2.00 | 2.00 |
| 14.0 to 14.9 | 2.25 | 2.25 |
| For each 1.0 percent or fraction of a percent over 14.9 percent | .25 | .25 |

1528-1599 (Reserved)

Section 2 Discounts and Additional Discounts for Sesame Seed

1626 Crop Year Specific Discounts

A Sesame Seed Discounts

The following table provides the discounts per cwt. for sesame seed.

| Quality Factor Level | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Class Purity Percent: | | |
| 99.5 - 99.7 | \$0.00 | \$0.00 |
| Moisture Percent: | | |
| 8.1 - 10.0 | 0.00 | 0.00 |
| Heat Damage Percent: | | |
| 0.2 | 0.00 | 0.00 |
| Total Damage Percent: | | |
| 1.6 - 3.0 | 0.00 | 0.00 |
| Sclerotinia Bodies Percent: | | |
| 0.2 | 0.00 | 0.00 |
| Inconspicuous Admixtures Percent: | | |
| 0.2 | 0.00 | 0.00 |
| Conspicuous Admixtures Percent: | | |
| 0.4 - 0.5 | 0.00 | 0.00 |

--1627 Quality Grading Factors*A Sesame Seed Overall Grade**

The overall grade of sesame seed is determined by the quality factor associated with the lowest numeric grade.

| Grade | Dockage (%) | Foreign Material (%) | Broken Seed (%) | Damaged Seed (%) | Other Seed (%) | Test Weight (%) |
|--------------|--------------------|-----------------------------|------------------------|-------------------------|-----------------------|------------------------|
| 1 | Less than 6.0 | Less than 0.5 | Less than 0.8 | Less than 0.5 | 0 | More than 46.0 |
| 2 | 6.0 - 7.9 | 0.5 - 0.9 | 0.8 - 1.2 | 0.5 - 0.9 | 1 | 46.0 - 45.6 |
| 3 | 8.0 - 9.9 | 1.0 - 1.4 | 1.3 - 1.7 | 1.0 - 1.4 | 1 | 45.5 - 45.1 |
| 4 | 10.0 - 11.9 | 1.5 - 1.9 | 1.8 - 2.2 | 1.5 - 1.9 | 2 - 4 | 45.0 - 44.6 |
| 5 | 12.0 - 13.9 | 2.0 - 2.4 | 2.3 - 3.2 | 2.0 - 2.9 | 5 - 9 | 44.5 - 44.1 |
| 6 | 14.0 - 17.9 | 2.5 - 2.9 | 3.3 - 3.7 | 3.0 - 3.4 | 10 - 24 | 44.0 - 43.6 |
| 7 | 18.0 - 22.9 | 3.0 - 3.9 | 3.8 - 4.7 | 3.5 - 3.9 | 25 - 49 | 43.5 - 43.1 |
| 8 | 23.0 - 27.9 | 4.0 - 4.9 | 4.8 - 5.7 | 4.0 - 4.4 | 50 - 99 | 43.0 - 42.6 |
| 9 | 28.0 - 34.9 | 5.0 - 5.9 | 5.8 - 6.7 | 4.5 - 4.9 | 100 - 149 | 42.5 - 42.1 |
| 10 | More than 34.9 | More than 5.9 | More than 6.7 | More than 4.9 | More than 149 | Less than 42.1 |

--*

1627 Quality Grading Factors (Continued)

B Sesame Seed Discounts

The following tables provide the grading factors discount per cwt. for sesame seed. Premiums and discounts are assigned according to the numeric grade.

Example: Sesame seed dockage, 4.5 percent foreign material, 4.0 percent broken seed, 1.0 percent damaged seed, 0 other seed number, and 45.0 test weight would be graded number 8 because of foreign material and discounted by \$3.00 per cwt.

| Grade Factor Level | *--Effective July 1, 2009 | | Effective July 1, 2010- | |
|--------------------|---------------------------|----------|-------------------------|----------|
| | Per. Cwt. | | Per. Cwt. | |
| | Premium | Discount | Premium | Discount |
| 1 | \$2.00 | | \$2.00 | |
| 2 | 1.50 | | 1.50 | |
| 3 | 1.00 | | 1.00 | |
| 4 | .50 | | .50 | |
| 5 | .00 | | .00 | |
| 6 | | \$1.00 | | \$1.00 |
| 7 | | 2.00 | | 2.00 |
| 8 | | 3.00 | | 3.00 |
| 9 | | 5.00 | | 5.00 |
| 10 | | 10.00 | | 10.00 |

1628 Sesame Seed Additional CCC Discounts**A Class Purity**

The following table provides the sesame seed additional CCC discounts for class purity.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Class Purity Percent: | | |
| 98.0 - 99.4 | \$0.00 | \$0.00 |
| 95.0 - 97.9 | 0.00 | 0.00 |
| 0.0 - 94.9 | 0.00 | 0.00 |

B Heat Damage

The following table provides the sesame seed additional CCC discounts for heat damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Heat Damage Percent: | | |
| 0.3 - 0.5 | \$0.00 | \$0.00 |
| 0.6 - 1.0 | 0.00 | 0.00 |
| 1.1 - 1.5 | 0.00 | 0.00 |
| 1.6 - 5.0 | 0.00 | 0.00 |

1628 Sesame Seed Additional CCC Discounts (Continued)

C Sclerotinia Bodies

The following table provides the sesame seed additional CCC discounts for sclerotinia bodies.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Sclerotinia Bodies Percent: | | |
| 0.3 | \$0.00 | \$0.00 |
| 0.4 - 1.0 | 0.00 | 0.00 |
| 1.1 - 1.5 | 0.00 | 0.00 |
| 1.6 - 3.0 | 0.00 | 0.00 |

D Distinctly Green Seed

The following table provides the sesame seed additional CCC discounts for distinctly green seed.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Distinctly Green Seed Percent: | | |
| 1.6 - 3.5 | \$0.00 | \$0.00 |
| 3.6 - 5.0 | 0.00 | 0.00 |

1628 Sesame Seed Additional CCC Discounts (Continued)**E Total Damage**

The following table provides the sesame seed additional CCC discounts for total damage.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Total Damage Percent: | | |
| 3.1 - 5.0 | \$0.00 | \$0.00 |
| 5.1 - 10.5 | 0.00 | 0.00 |
| 10.6 - 15.0 | 0.00 | 0.00 |
| 15.1 - 20.0 | 0.00 | 0.00 |

F Conspicuous Admixture

The following table provides the sesame seed additional CCC discounts for conspicuous admixture.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Conspicuous Admixture Percent: | | |
| 0.6 - 0.7 | \$0.00 | \$0.00 |
| 0.8 - 1.0 | 0.00 | 0.00 |
| 1.1 - 1.5 | 0.00 | 0.00 |
| 1.6 - 3.0 | 0.00 | 0.00 |

1628 Sesame Seed Additional CCC Discounts (Continued)

G Other Weed Seeds

The following table provides the sesame seed additional CCC discounts for other weed seeds.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| Other Weed Seeds Percent: | | |
| 0.6 - 0.7 | \$0.00 | \$0.00 |
| 0.8 - 1.0 | 0.00 | 0.00 |
| 1.1 - 1.5 | 0.00 | 0.00 |
| 1.6 - 3.0 | 0.00 | 0.00 |

H Other Factors

The following table provides the sesame seed additional CCC discounts for other factors.

| Grade or Factor Description | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|------------------------------------|----------------------------------|----------------------------------|
| | Discount per Cwt. | Discount per Cwt. |
| COFO | \$10.00 | \$10.00 |
| Heating | 10.00 | 10.00 |
| Infested | 1.00 | 1.00 |
| Musty | 5.00 | 5.00 |
| Sour | 10.00 | 10.00 |

***--1628 Sesame Seed Additional CCC Discounts (Continued)**

I Discount for Contaminated Sesame Seed

Sesame seed found to contain substances poisonous to humans or animals, such as mercurial compounds and toxin-producing molds, will receive a discount equal to the settlement value determined after applying all other premiums and discounts.

J Animal Filth

Sesame seed found to contain animal filth over 3 parts per 500 grams shall receive a settlement value of zero.--*

1628 Sesame Seed Additional CCC Discounts (Continued)

K Test Weight and Moisture

The following table provides the sesame seed additional CCC discounts for test weight and moisture.

| Grade or Factor | *--Effective July 1, 2009 | Effective July 1, 2010--* |
|--|---------------------------|---------------------------|
| | Discount Per Cwt. | Discount Per Cwt. |
| Test Weight: | | |
| 24.9 to 24.0 | \$0.00 | \$0.00 |
| 23.9 to 23.0 | 0.00 | 0.00 |
| 22.9 to 22.0 | 0.00 | 0.00 |
| 21.9 to 21.0 | 0.00 | 0.00 |
| 20.9 to 20.0 | 0.00 | 0.00 |
| For each whole pound or fraction of a pound under 20.0 | 0.00 | 0.00 |
| Moisture Percent: | | |
| 0.1 to 0.9 | \$0.00 | \$0.00 |
| 1.0 to 1.9 | 0.00 | 0.00 |
| 2.0 to 2.9 | 0.00 | 0.00 |
| 3.0 to 3.9 | 0.00 | 0.00 |
| 4.0 to 4.9 | 0.00 | 0.00 |
| For each 1.0 percent or fraction of a percent over 4.9 | 0.00 | 0.00 |

1629-1699 (Reserved)

Section 2 Discounts for Lentils

1726 Grade Discounts

A Lentils Discounts

The following table provides the premiums and discounts per cwt. for lentils.

| Lentils | *--2009 Grade Discounts | 2010 Grade Discounts--* |
|-------------------|-------------------------|-------------------------|
| U.S. No. 1 | 0 | |
| U.S. No. 2 | 0 | |
| U.S. No. 3 | *--1.00--* | 1.00 |
| U.S. Sample Grade | <u>1/</u> | <u>1/</u> |

1/ The value for U.S. Sample Grade is 20 percent of the county loan rate for warehouse-stored nonrecourse loans and for settlement of farm-stored loans (8-LP, paragraph 422).

B Standard Weight

The standard weight is 100 pounds per cwt. free of dockage.

Note: Industry accepted standard is 60 pounds per bushel.

1727 (Withdrawn--Amend. 20)

1728-1799 (Reserved)

Section 2 Discounts for Whole Dry Peas

1826 Grade Discounts

A Whole Dry Peas Discounts

The following table provides the discounts per cwt. for whole dry peas.

| Whole Dry Peas | *--2009 Grade Discounts | 2010 Grade Discounts--* |
|-----------------------|--------------------------------|--------------------------------|
| U.S. No. 1 | 0 | |
| U.S. No. 2 | 0 | |
| U.S. No. 3 | *--\$0.50 | \$0.50 |
| Feed Peas | \$1.50--* | *--\$2.50--* |
| U.S. Sample Grade | <u>1/</u> | <u>1/</u> |

1/ The value for U.S. Sample Grade is 20 percent of the county loan rate for warehouse-stored nonrecourse loans and for settlement of farm-stored loans (8-LP, paragraph 422).

1827 (Withdrawn--Amend. 20)

1828-1899 (Reserved)

Part 19 Small Chickpeas

Section 1 Small Chickpeas Information

1900 General Information

A Commodity Code and Abbreviations

The following table lists the commodity code and abbreviations for small chickpeas.

| Commodity Code | Class | Abbreviation |
|-----------------------|---------------------|---------------------|
| CHKP | Miscellaneous Beans | CHK |

B Standard Weight

The standard weight is 100 pounds per cwt. free of dockage.

C Moisture Standard

--The maximum eligible moisture level is 15.0 percent.--

D Final Availability Date

The final availability date is May 31.

1900 General Information (Continued)

E Warehouse-Stored Eligibility

The following table provides the general eligibility requirements for small chickpeas stored in a UGRSA warehouse.

| Eligible | Low Quality (All Small Chickpeas) |
|--|-----------------------------------|
| Grade of U.S. No. 3 or better. | Sample Grade. |
| <p>*--Moisture of 15.0 percent or less.</p> <p>Exception: A warehouse receipt showing moisture exceeding 15.0 percent may be eligible if accompanied by KC-350 (Grain) showing moisture content of 15.0 percent or less.--*</p> | |

Notes: The commodity must not contain moisture exceeding the maximum eligible level for warehouse-stored loans.

Low quality small chickpeas are eligible for a nonrecourse loan at a reduced loan rate according to 8-LP, paragraph 422.

Small chickpeas must fall below a 20/64th-inch round-hole sieve to meet the definition of a small chickpea.

F Farm-Stored Eligibility

Commodities with moisture levels at or below the STC-established moisture level are eligible for nonrecourse loans. The quantity of a commodity pledged for a nonrecourse loan must be reduced to reflect the applicable standard moisture level.

1901 U.S. Grading Standards

A Grades and Grade Requirements

The following table provides the grades and grade requirements for small chickpeas.

| Grading Factors | | Maximum Percent Limits of: | | | | | | |
|--|---|----------------------------|--|---------------|------------------|-----|----------------------------------|---------------------------------|
| | | Moisture <u>1/</u> | Total Defects (total damaged, total foreign material, contrasting classes, splits) | Total Damaged | Foreign Material | | Contrasting Classes <u>2/</u> | Classes That Blend <u>3/</u> |
| Total (includes stones) | Stones | | | | | | | |
| U.S. No. 1 | The special grade Off-Color may be applied after the removal of total defects | *--15.0 | 2.0 | 2.0 | 0.5 | 0.2 | 0.5 | 5.0 |
| U.S. No. 2 | | 15.0 | 4.0 | 4.0 | 1.0 | 0.4 | 1.0 | 10.0 |
| U.S. No. 3 | | 15.0 | 6.0 | 6.0 | 1.5 | 0.6 | 2.0 | 15.0 |
| U.S. Substandard | | 15.0 | | | | | | |
| U.S. Sample Grade | | 15.0--* | | | | | | |
| <p>U.S. Substandard is beans that do not meet the requirements for U.S. Nos. 1, 2, and 3 or U.S. Sample grade. Beans that are not well screened shall also be U.S. Substandard, except for beans that meet the requirements for U.S. Sample grade.</p> <p>U.S. Sample Grade is beans that are musty, sour, heating, materially weathered, or weevily that are 1 of the following:</p> <ul style="list-style-type: none"> • have any commercially objectionable odor • contain insect webbing or filth, animal filth, any unknown foreign substance, broken glass, or metal fragments • are otherwise of distinctly low quality. | | | | | | | | |

--1/ Beans with more than 15.0 percent moisture are graded High moisture.--

2/ Beans with more than 2.0 percent contrasting classes are graded Mixed beans.

3/ Beans with more than 15.0 percent classes that blend are graded Mixed beans.

1902 Warehouse Receipt Requirements**A Specific Small Chickpea Requirements**

In addition to the general warehouse receipt requirements in 8-LP, paragraph 448, each small chickpea warehouse receipt shall show **all** of the following:

- gross weight and net weight in cwt.

Note: Fractions of cwt's shall be shown in decimal hundredths.

Example: 1000.67 cwt.

- class
- grade, including special grades
- moisture.

--B Receipts Showing Infested or Moisture Over 15.0 Percent--

Small chickpea warehouse receipts shall be accompanied by KC-350 (Grain) if the warehouse receipt tendered for loan shows either or both of the following conditions:

- infested
- *--moisture over 15.0 percent.--*

Note: County Offices shall verify that the attached KC-350 (Grain) shows an eligible quality.

See 8-LP, paragraph 449 for examples of infested or excess moisture entries on KC-350 (Grain).

C Small Chickpeas Shipped by Rail or Barge

A warehouse receipt for small chickpeas shipped by rail or barge must be accompanied by KC-350 (Grain) containing freight information.

1903-1925 (Reserved)

Section 2 Discounts for Small Chickpeas

1926 Grade Discounts

A Small Chickpea Discounts

The following table provides the premiums and discounts per cwt. for small chickpeas.

| Small Chickpeas | 2008 Grade Discounts | 2009 Grade Discounts |
|-------------------|----------------------|----------------------|
| U.S. No. 1 | 0 | |
| U.S. No. 2 | 0 | |
| U.S. No. 3 | *--\$1.00--* | \$1.00 |
| U.S. Sample Grade | <u>1/</u> | <u>1/</u> |

1/ The value for U.S. Sample Grade is 20 percent of the county loan rate for warehouse-stored nonrecourse loans and for settlement of farm-stored loans (8-LP, paragraph 422).

1927 (Withdrawn--Amend. 20)

Part 20 Large Chickpeas**Section 1 Large Chickpea Information****2000 General Information****A Commodity Code and Abbreviations**

The following table lists the commodity code and abbreviations for large chickpeas.

| Commodity Code | Class | Abbreviation |
|-----------------------|---------------------|---------------------|
| CHKP | Miscellaneous Beans | CHL |

B Standard Weight

The standard weight is 100 pounds per cwt. free of dockage.

C Moisture Standard

--The maximum eligible moisture level is 15.0 percent.--

D Final Availability Date

The final availability date is May 31.

2000 General Information (Continued)

E Warehouse-Stored Eligibility

The following table provides the general eligibility requirements for large chickpeas stored in a UGRSA warehouse.

| Eligible | Low Quality (All Large Chickpeas) |
|--|-----------------------------------|
| Grade of U.S. No. 3 or better. | Feed/Sample Grade. |
| <p>*--Moisture of 15.0 percent or less.</p> <p>Exception: A warehouse receipt showing moisture exceeding 15.0 percent may be eligible if accompanied by KC-350 (Grain) showing moisture content of 15.0 percent or less.--*</p> | |

Notes: The commodity must not contain moisture exceeding the maximum eligible level for warehouse-stored loans.

Low quality large chickpeas are eligible for a nonrecourse loan at a reduced loan rate according to 8-LP, paragraph 422.

Large chickpeas must remain above a 20/64th-inch round-hole sieve to meet the definition of a large chickpea.

F Farm-Stored Eligibility

Commodities with moisture levels at or below the STC-established moisture level are eligible for nonrecourse loans. The quantity of a commodity pledged for a nonrecourse loan must be reduced to reflect the applicable standard moisture level.

2001 U.S. Grading Standards

A Grades and Grade Requirements

The following table provides the grades and grade requirements for large chickpeas.

| Grading Factors | | Maximum Percent Limits of: | | | | | | |
|-------------------------|--|----------------------------|--|---------------|------------------|-----|----------------------------------|---------------------------------|
| | | Moisture <u>1/</u> | Total Defects (total damaged, total foreign material, contrasting classes, splits) | Total Damaged | Foreign Material | | Contrasting Classes <u>2/</u> | Classes That Blend <u>3/</u> |
| Total (includes stones) | Stones | | | | | | | |
| U.S. No. 1 | The special grade Off-Color may be applied after the removal of total defects | *--15.0 | 2.0 | 2.0 | 0.5 | 0.2 | 0.5 | 5.0 |
| U.S. No. 2 | | 15.0 | 4.0 | 4.0 | 1.0 | 0.4 | 1.0 | 10.0 |
| U.S. No. 3 | | 15.0 | 6.0 | 6.0 | 1.5 | 0.6 | 2.0 | 15.0 |
| U.S. Substandard | | 15.0 | | | | | | |
| U.S. Sample Grade | | 15.0--* | | | | | | |

U.S. Substandard is beans that do not meet the requirements for U.S. Nos. 1, 2, and 3 or U.S. Sample grade. Beans that are not well screened shall also be U.S. Substandard, except for beans that meet the requirements for U.S. Sample grade.

U.S. Sample Grade is beans that are musty, sour, heating, materially weathered, or weevily that are 1 of the following:

- have any commercially objectionable odor
- contain insect webbing or filth, animal filth, any unknown foreign substance, broken glass, or metal fragments
- are otherwise of distinctly low quality.

- *--1/ Beans with more than 15.0 percent moisture are graded High moisture.--*
- 2/ Beans with more than 2.0 percent contrasting classes are graded Mixed beans.
- 3/ Beans with more than 15.0 percent classes that blend are graded Mixed beans.

2002 Warehouse Receipt Requirements

A Specific Large Chickpea Requirements

In addition to the general warehouse receipt requirements in 8-LP, paragraph 448, each large chickpea warehouse receipt shall show **all** of the following:

- gross weight and net weight in cwt.

Note: Fractions of cwt's shall be shown in decimal hundredths.

Example: 1000.67 cwt.

- class
- grade, including special grades
- moisture.

--B Receipts Showing Infested or Moisture Over 15.0 Percent--

Large chickpea warehouse receipts shall be accompanied by KC-350 (Grain) if the warehouse receipt tendered for loan shows either or both of the following conditions:

- infested
- *--moisture over 15.0 percent.--*

Note: County Offices shall verify that the attached KC-350 (Grain) shows an eligible quality.

See 8-LP, paragraph 449 for examples of infested or excess moisture entries on KC-350 (Grain).

C Large Chickpeas Shipped by Rail or Barge

A warehouse receipt for large chickpeas shipped by rail or barge must be accompanied by KC-350 (Grain) containing freight information.

2003-2025 (Reserved)

Section 2 Discounts for Large Chickpeas

2026 Grade Discounts

A Large Chickpea Discounts

The following table provides the premiums and discounts per cwt. for large chickpeas.

| Large Chickpeas | 2009 Grade Discounts | *--2010 Grade Discounts |
|------------------------|-----------------------------|--------------------------------|
| U.S. No. 3 | \$2.00 | \$2.00 |
| U.S. Sample Grade | <u>1/</u> | <u>1/--*</u> |

1/ The value for U.S. Sample Grade is 20 percent of the county loan rate for warehouse-stored nonrecourse loans and for settlement of farm-stored loans (8-LP, paragraph 422).

